

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com

OriGene Technologies GmbH

Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11

info-de@origene.com

AM33428PU-N Monoclonal Antibody to Hev b3 - Aff - Purified

Alternate names: 22 kDa rubber particle protein, Latex allergen Hev b 3, SRPP, Small rubber particle

protein

Quantity: 0.1 mg
Concentration: 1.0 mg/ml

Background: Liquid latex from the rubber tree, Hevea brasiliensis, is the source of natural rubber

latex (NRL) and contains over 200 proteins; 14 of them have been identified as allergens. Only some allergens retain their allergenic properties through the manufacturing processes. The NRL allergens that have been shown to be clinically relevant to genuine NRL allergy, and present in the final NRL products with maintained

allergenicity are Hev b1, Hev b3, Hev b5 and Hev b6.02

Uniprot ID: <u>082803</u> NCBI: 3981

Host / Isotype: Mouse / IgG1

Clone: 5

Immunogen: Hev b3-MBP fusion protein expressed and purified from *E. coli*.

Format: State: Liquid purified Ig fraction

Purification: Affinity Chromatography on Protein G

Buffer System: PBS pH 7.4

Preservatives: 0.09% Sodium Azide

Applications: ELISA: 1/4000. Reacts as Binding antibody in Capture ELISA with Hev b3 Detection

monoclonal antibody Cat.-No AM33428PU-N.

Western Blot: 1/1000.

Other applications not tested. Optimal dilutions are dependent on conditions and

should be determined by the user.

Specificity: Recombinant and native Hev b3 (Rubber elongation factor, REF).

Storage: Upon receipt, store (in aliquots) at -20°C to -80°C.

Avoid repeated freezing and thawing. Shelf life: one year from despatch.

General Readings: 1. ASTM D7427 - 08e1 Standard Test Method for Immunological Measurement of Four

Principal Allergenic Proteins (Hev b 1, 3, 5 and 6.02) in Natural Rubber and Its

Products Derived from Latex.

2. Koh D, Ng V, Leow YH, Goh CL. A study of natural rubber latex allergens in gloves used by healthcare workers in Singapore. Br J Dermatol. 2005 Nov;153(5):954-9.

PubMed PMID: 16225605.

3. Palosuo T, Alenius H, Turjanmaa K. Quantitation of latex allergens. Methods. 2002

May;27(1):52-8. PubMed PMID: 12079417.

4. Peixinho C, Tavares-Ratado P, Tomás MR, Taborda-Barata L, Tomaz CT. Latex allergy: new insights to explain different sensitization profiles in different risk groups. Br J Dermatol. 2008 Jul;159(1):132-6. doi: 10.1111/j.1365-2133.2008.08614.x. Epub



2008 Jul 1. PubMed PMID: 18476958.

5. Kang PB, Vogt K, Gruninger SE, Marshall M, Siew C, Meyer DM. The immuno cross-reactivity of gutta percha points. Dent Mater. 2007 Mar;23(3):380-4. Epub 2006 Mar 14. PubMed PMID: 16533519.

Pictures:

Western Blot testing of natural latex extract using anti-HevB1 antibody (AM33428PU-N, clone 5). Line 1: 10 μ l of 20x diluted natural latex extract were loaded per line. Line 2: Protein size marker

