

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com

## OriGene Technologies GmbH

Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

## R1302AP Polyclonal Antibody to Chicken IgG F(ab')2 -AP-

Alternate names: Chicken Immunoglobulin G, Chicken Immunoglobulin Y

Quantity: 1 mg

Concentration: 0.6 mg/ml (by UV absorbance at 280 nm)

Host: Rabbit

Immunogen: Chicken IgG F(ab')2 fragment.

Format: State: Liquid (sterile filtered) purified Ig fraction.

**Purification:** Immunoaffinity chromatography.

**Buffer System:** 0.05 M Tris Chloride, 0.15 M Sodium Chloride, 1 mM Magnesium Chloride, 0.1 mM Zinc Chloride, 50% (v/v) Glycerol; pH 8.0, containing 10 mg/ml Bovine Serum Albumin (BSA, IgG and Protease free) and 0.01% (w/v) and 0.01%

Sodium Azide as preservative.

**Label:** AP – Alkaline Phosphatase (Calf Intestine, Molecular Weight 140,000 daltons)

Applications: Suitable for Immunoblotting (Western or Dot blot), ELISA and Immunohistochemistry

as well as other phosphatase-antibody based enzymatic assays requiring lot-to-lot

consistency.

Recommended dilutions: This product has been assayed against 1.0  $\mu$ g of Chicken IgG in a standard capture ELISA using pNPP (p-nitrophenyl phosphate) as a substrate for 30 minutes at room temperature. A working dilution of 1:500 to 1:1,000 of the

reconstitution concentration is suggested for this product.

Other applications not tested. Optimal dilutions are dependent on conditions and

should be determined by the user.

Specificity: This product was prepared from monospecific antiserum by immunoaffinity

chromatography using Chicken IgG coupled to agarose beads followed by solid phase

adsorption(s) to remove any unwanted reactivities.

Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Alkaline Phosphatase (calf intestine), anti-Rabbit Serum, Chicken IgG, Chicken IgG

F(ab')2 and Chicken Serum.

No reaction was observed against Chicken IgG F(c).

Storage: Store the antibody undiluted at 2-8°C.

DO NOT FREEZE!

Freezing alkaline phosphatase conjugates will result in a substantial loss

of enzymatic activity.

Dilute only prior to immediate use. Shelf life: one year from despatch.

General Readings: Modified from Avarameas and Ternyrock, Immunochemistry 32; 1175 1971.

(Conjugation).