

## Product Information

Contents: Fluorescein isothiocyanate (FITC) anti-human CD14

Catalog Number: 11-0149

Sizes: 25 tests, 100 tests

Formulation: Phosphate buffer pH 7.2,  
150 mM NaCl, 0.09% NaN<sub>3</sub>, 0.2% BSA

Storage Conditions: Store at 4°C.


DO NOT FREEZE.

LIGHT-SENSITIVE MATERIAL.

Clone: 61D3

Isotype: Mouse IgG1, κ

HLDA No.: V MA085



Staining of normal human peripheral blood cells with FITC mouse IgG1 isotype control (cat. 11-4719) (open histogram) or FITC 61D3 (colored histogram). Cells in the monocyte gate were used for analysis.

## Available Formats of This Product

Cat. No.	Format	Excite (nm)	Emit (nm)	Reported Applications
11-0149	FITC anti-human CD14	488	518	FC
12-0149	PE anti-human CD14	488	575	FC
14-0149	Affinity Purified anti-human CD14	N/A	N/A	FA FC IHC
16-0149	Functional Grade* Purified anti-human CD14	N/A	N/A	FA FC
17-0149	APC anti-human CD14	633	660	FC
25-0149	Phycoerythrin-Cy7 (PE-Cy7) anti-human CD14	488	760	FC

\*Functional Grade™ (FG™): Azide-free, sterile-filtered, and endotoxin < 0.001 ng/μg.  
Purified: Contains azide, not sterile-filtered, and not endotoxin tested.

## Description

The 61D3 monoclonal antibody reacts with human CD14, a 53-55 kDa GPI-linked glycoprotein. CD14 is expressed on monocytes, interfollicular macrophages and some dendritic cells. Complexes of LPS and LBP (LPS-Binding Protein) bind with high affinity to monocytes through the surface CD14.

## Usage

For research use only, not for diagnostic or therapeutic use. The 61D3 antibody has been reported for use in flow cytometric analysis.

## Applications Tested

The 61D3 antibody has been pre-titrated and tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at 20 μl per 100 μl blood (or per 1 million cells in 100 μl total staining volume).

## Related Products

- Cat. 12-0149 PE anti-human CD14 (clone 61D3)
- Cat. 14-0149 Affinity Purified anti-human CD14 (clone 61D3)
- Cat. 16-0149 Functional Grade Purified anti-human CD14 (clone 61D3)
- Cat. 17-0149 APC anti-human CD14 (clone 61D3)
- Cat. 25-0149 Phycoerythrin-Cy7 (PE-Cy7) anti-human CD14 (clone 61D3)
- Cat. 11-4714 Fluorescein isothiocyanate (FITC) Mouse IgG1, K Isotype Control

---

## References

---

Schlossman, S., L. Bloumsell, et al. eds (1995). *Leucocyte Typing V: White Cell Differentiation Antigens*. Oxford University Press. New York.

Kishimoto, T., A.E.G., von dem Borne, et al. eds. (1998). *Leucocyte Typing VI: White Cell Differentiation Antigens*. Garland Publishing Inc. London.

Fadok VA, Warner ML, Bratton DL, Henson PM. CD36 is required for phagocytosis of apoptotic cells by human macrophages that use either a phosphatidylserine receptor or the vitronectin receptor (alpha v beta 3). *J Immunol* 1998 Dec 1;161(11):6250-7.

Copyright © 2000-2005 eBioscience, Inc.  
Product For Research Use Only: Not for further distribution without written consent.

