

Tel: 888.999.1371 or 858.642.2058

Fax: 858.642.2046 Web: www.ebioscience.com E-mail: info@ebioscience.com

Product Information

Contents: Phycoerythrin (PE) anti-mouse CD95 Ligand (Fas

Ligand, CD178)

Catalog Number: 12-5911 Sizes: 50 ug, 100 ug, 200 ug

Formulation: Phosphate buffer pH 7.2,

150 mM NaCl, 0.09% NaN₃


Storage Conditions: Store at 4°C.

DO NOT FREEZE.

LIGHT-SENSITIVE MATERIAL.

Clone: MFL3

Isotype: Armenian Hamster IgG



Surface staining of mouse Fas Ligand transfected cells with antimouse CD178 (MFL3) PE. Appropriate isotype controls were used (open histogram). Total viable cells were used for analysis.

Cat. No.	Format	Excite (nm)	Emit (nm)	Reported Applications
12-5911	PE anti-mouse CD95 Ligand (Fas Ligand, CD178)	488	575	FC
13-5911	Biotin anti-mouse CD95 Ligand (Fas Ligand, CD178)	N/A	N/A	FC
14-5911	Affinity Purified anti-mouse CD95 Ligand (Fas Ligand, CD178)	N/A	N/A	FA FC
16-5911	Functional Grade* Purified anti-mouse CD95 Ligand (Fas Ligand, CD178)	N/A	N/A	FA FC

Description

The MFL3 monoclonal antibody reacts with mouse Fas (CD95) Ligand, a 40 kDa type II transmembrane glycoprotein. FasL is a member of the TNF family and is expressed by mouse activated T cells. The interaction of FasL with its receptor CD95 induces Fas-mediated killing. It has been reported that the human FasL antigen is cleaved from the surface by matrix metalloproteinases (MMPs), resulting in a 26 kDa soluble form. The degree of sensitivity for the mouse antigen to MMPs has not been reported.

Usage

For research use only, not for diagnostic or therapeutic use. The MFL3 antibody has been reported for use in flow cytometric analysis.

Applications Tested

The MFL3 antibody has been tested by flow cytometric analysis of mouse FasL transfected cells and activated T cells. This can be used at less than or equal to 1 μ g per million cells in a 100 μ l total staining volume. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Related Products

Cat. 12-4914	Phycoerythrin	(PE) Golden Syrian	Hamster IgG Isot	ype Control (clone n/a)
--------------	---------------	--------------------	------------------	-------------------------

Cat. 13-5911 Biotin anti-mouse CD95 Ligand (Fas Ligand, CD178) (clone MFL3)

Cat. 14-5911 Affinity Purified anti-mouse CD95 Ligand (Fas Ligand, CD178) (clone MFL3)

Cat. 16-5911 Functional Grade Purified anti-mouse CD95 Ligand (Fas Ligand, CD178) (clone MFL3)

Cat. 14-5912 Affinity Purified anti-mouse/rat CD95 Ligand (Fas Ligand, CD178) (clone MFL4)

Cat. 16-5912 Functional Grade Purified anti-mouse/rat CD95 Ligand (Fas Ligand, CD178) (clone MFL4)

References

Kayagaki, N., N. Yamaguchi, et al. (1997). "Polymorphism of murine Fas ligand that affects the biological activity." <u>Proc Natl Acad Sci U S A</u> 94(8): 3914-9.

Nakajima, A., H. Hirai, et al. (2000). "Treatment of lupus in NZB/W F1 mice with monoclonal antibody against fas ligand." J Autoimmun 14(2): 151-7.

Kayagaki, N., A. Kawasaki, et al. (1995). "Metalloproteinase-mediated release of human Fas ligand." J Exp Med 182(6): 1777-83.

 $\label{localization} \hbox{Copyright} \ @ \ 2000-2005 \ \hbox{eBioscience, Inc.}$ Product For Research Use Only: Not for further distribution without written consent.