

Tel: 888.999.1371 or 858.642.2058

Fax: 858.642.2046 Web: www.ebioscience.com

E-mail: info@ebioscience.com

Product Information

Contents: Biotin anti-human CD45 (LCA)

Catalog Number: 13-0459

Sizes: 25 ug, 100 ug


Formulation: Phosphate buffer pH 7.2,

150 mM NaCl, 0.09% NaN₃

Storage Conditions: Store at 4°C.

DO NOT FREEZE. Clone: HI30

I sotype: Mouse IgG1, κ HLDA No.: IV N816



Surface staining of normal human peripheral blood cells with anti-human CD45 (HI30) PE. Appropriate isotype controls were used (open histogram). Cells in the lymphocyte population were used for analysis.

Available Formats of This Product				
Cat. No.	Format	Excite (nm)	Emit (nm)	Reported Applications
10-0459	Allophycocyanin-Cy7 (APC-Cy7) anti-human CD45 (LCA)	633	760	FC
11-0459	FITC anti-human CD45 (LCA)	488	518	FC
12-0459	PE anti-human CD45 (LCA)	488	575	FC
13-0459	Biotin anti-human CD45 (LCA)	N/A	N/A	FC
14-0459	Affinity Purified anti-human CD45 (LCA)	N/A	N/A	FC IHC
15-0459	PE-Cy5 anti-human CD45 (LCA)	488	670	FC
17-0459	Allophycocyanin (APC) anti-human CD45 (LCA)	633	660	FC
19-0459	Cy5 anti-human CD45 (LCA)	633	670	FC
25-0459	Phycoerythrin-Cy7 (PE-Cy7) anti-human CD45 (LCA)	488	760	FC
35-0459	Phycoerythrin-Cy5.5 (PE-Cy5.5) anti-human CD45 (LCA)	488	690	FC

Description

The HI30 monoclonal antibody reacts with all isoforms of human CD45, also known as Leukocyte Common Antigen (LCA). CD45 is expressed by all hematopoietic cells excluding circulating erythrocytes and platelets. The cytoplasmic portion of CD45 has tyrosine phosphatase enzymatic activity and plays an important role in activation of lymphocytes.

Usage

For research use only, not for diagnostic or therapeutic use. The HI30 antibody has been reported for use in flow cytometric analysis.

Applications Tested

The HI30 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to $0.25~\mu g$ per $100~\mu l$ blood (or per 1 million cells in $100~\mu l$ total staining volume). It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Related Products

Cat. 10-0459 Allophycocyanin-Cy7 (APC-Cy7) anti-human CD45 (LCA) (clone HI30)

Cat. 11-0459 FITC anti-human CD45 (LCA) (clone HI30) Cat. 12-0459 PE anti-human CD45 (LCA) (clone HI30)

Cat. 14-0459 Affinity Purified anti-human CD45 (LCA) (clone HI30)

Cat. 15-0459	PE-Cy5 anti-human CD45 (LCA) (clone HI30)
Cat. 17-0459	Allophycocyanin (APC) anti-human CD45 (LCA) (clone HI30)
Cat. 25-0459	Phycoerythrin-Cy7 (PE-Cy7) anti-human CD45 (LCA) (clone HI30)
Cat. 11-4317	Streptavidin-FITC (Fluorescein isothiocyanate)
Cat. 12-4317	Streptavidin-PE (Phycoerythrin)
Cat. 17-4317	Streptavidin Allophycocyanin (SA-APC)
Cat. 13-4714	Biotin Mouse IgG1, K Isotype Control

References

Knapp, W., B. Dorken, et al. eds. (1989). Leucocyte Typing IV: White Cell Differentiation Antigens. Oxford University Press. New York.