

Tel: 888.999.1371 or 858.642.2058

Fax: 858.642.2046

Web: www.ebioscience.com E-mail: info@ebioscience.com

### **Product Information**

Contents: Affinity Purified anti-human CD69

Catalog Number: 14-0699

Sizes: 25 ug, 100 ug


Formulation: Phosphate buffer pH 7.2,

150 mM NaCl, 0.09% NaN<sub>3</sub>

Storage Conditions: Store at 4°C. Avoid repeated freeze/thaw cycles.

Clone: FN50

I sotype: Mouse IgG1, κ HLDA No.: IV A091



Surface staining of PHA stimulated human PBMC with anti-human CD69 (FN50) PE. Appropriate isotype controls were used (open histogram).

Total viable cells were used for analysis.

Available Formats of This Product				
Cat. No.	Format	Excite (nm)	Emit (nm)	Reported Applications
11-0699	FITC anti-human CD69	488	518	FC
12-0699	PE anti-human CD69	488	575	FC
14-0699	Affinity Purified anti-human CD69	N/A	N/A	FC IHC
17-0699	Allophycocyanin (APC) anti-human CD69	633	660	FC
25-0699	Coming Soon! - Phycoerythrin-Cy7 (PE-Cy7) anti-human CD69	488	760	FC

## Description

The FN50 monoclonal antibody reacts with human CD69, also known as very early activation antigen (VEA). CD69 is approximately 30 kDa and is expressed on the surface as a disulfide-linked dimer. CD69 is rapidly upregulated and expressed on the surface of lymphocytes, monocytes and platelets upon activation.

## Usage

For research use only, not for diagnostic or therapeutic use. The FN50 antibody has been reported for use in flow cytometric analysis, and immunohistochemical staining.

#### **Applications Tested**

The FN50 antibody has been tested by flow cytometric analysis of resting and 6-hour TPA-activated human PBMC. This can be used at less than or equal to 0.5 µg per million cells in a 100 µl total staining volume. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

### Related Products

Cat. 11-0699 FITC anti-human CD69 (clone FN50) Cat. 12-0699 PE anti-human CD69 (clone FN50)

Cat. 11-4011 FITC Anti-Mouse IgG

Cat. 13-4013 Biotin Anti-Mouse IgG (clone Polyclonal)
Cat. 11-4317 Streptavidin-FITC (Fluorescein isothiocyanate)

Cat. 12-4317 Streptavidin-PE (Phycoerythrin)

Cat. 17-4317 Streptavidin Allophycocyanin (SA-APC)

Cat. 14-4714 Affinity Purified Mouse IgG1, K Isotype Control

# References

Schlossman, S., L. Bloumsell, et al. eds (1995). Leucocyte Typing V: White Cell Differentiation Antigens. Oxford University Press. New York.

Knapp, W., B. Dorken, et al. eds. (1989). Leucocyte Typing IV: White Cell Differentiation Antigens. Oxford University Press. New York.

 $\label{lem:copyright} \hbox{ $\mathbb{O}$ 2000-2005 eBioscience, Inc.}$  Product For Research Use Only: Not for further distribution without written consent.