

Tel: 888.999.1371 or 858.642.2058

Fax: 858.642.2046 Web: www.ebioscience.com

Web: www.ebioscience.com E-mail: info@ebioscience.com

## **Product Information**

Contents: Phycoerythrin-Cy5 (PE-Cy5) anti-mouse CD8a (Ly-

2)

Catalog Number: 15-0081 Sizes: 50 ug, 100 ug, 200 ug

Formulation: Phosphate buffer pH 7.2,

150 mM NaCl, 0.09% NaN<sub>3</sub>


Storage Conditions: Store at 4°C.

DO NOT FREEZE.

LIGHT-SENSITIVE MATERIAL.

Clone: 53-6.7

Isotype: Rat IgG2a, κ



Staining of BALB/c splenocytes with staining buffer (autofluorescence) (open histogram) or 0.06 µg of PE-Cy5 anti-mouse CD8 (53-6.7) (colored histogram). Total cells were used for analysis.

Available Formats of This Product				
Cat. No.	Format	Excite (nm)	Emit (nm)	Reported Applications
10-0081	APC-Cy7 Rat anti-mouse CD8 (alpha subunit; CD8a)	633	760	FC
11-0081	FITC Rat anti-mouse CD8 (alpha subunit; CD8a)	488	518	FC
12-0081	PE Rat anti-mouse CD8 (alpha subunit; CD8a)	488	575	FC
13-0081	Biotin Rat anti-mouse CD8 (alpha subunit; CD8a)	N/A	N/A	FC
14-0081	Affinity Purified Rat anti-mouse CD8 (alpha subunit; CD8a)	N/A	N/A	FA FC IH/F IP
15-0081	PE-Cy5 Rat anti-mouse CD8 (alpha subunit; CD8a)	488	670	FC
16-0081	Functional Grade* Purified Rat anti-mouse CD8 (alpha subunit; CD8a)	N/A	N/A	FA FC
17-0081	APC Rat anti-mouse CD8 (alpha subunit; CD8a)	633	660	FC
19-0081	Cy5 Rat anti-mouse CD8 (alpha subunit; CD8a)	633	670	FC
25-0081	PE-Cy7 Rat anti-mouse CD8 (alpha subunit; CD8a)	488	760	FC
30-0081	DISCONTINUED - Allophycocyanin-Cy5.5 (APC-Cy5.5) anti-mouse CD8a (Ly-2)	633	690	FC
		1	-	1

<sup>\*</sup>Functional Grade<sup>TM</sup> (FG<sup>TM</sup>): Azide-free, sterile-filtered, and endotoxin < 0.001 ng/ $\mu$ g. Purified: Contains azide, not sterile-filtered, and not endotoxin tested.

## Description

The 53-6.7 monoclonal antibody reacts with the mouse CD8a molecule. CD8a is an approximately 32-34 kDa cell surface receptor expressed either as a heterodimer with the CD8  $\beta$  chain (CD8  $\alpha\beta$ ) or as a homodimer (CD8  $\alpha\alpha$ ). A majority of thymocytes and a subpopulation of mature  $\alpha\beta$  TCR T cells express CD8  $\alpha\beta$  while  $\gamma\delta$  TCR T cells, a subpopulation of intestinal intraepithelial lymphocytes (IELs) and dendritic cells express CD8  $\alpha\alpha$ . CD8 binds to MHC class I and through its association with protein tyrosine kinase p56lck plays a role in T cell development and activation of mature T cells.

## Usage

For research use only, not for diagnostic or therapeutic use. The 53-6.7 antibody has been reported for use in flow cytometric analysis.

# **Applications Tested**

The 53-6.7 antibody has been tested by flow cytometric analysis of mouse thymocyte and splenocyte suspensions. This can be used at less than or equal to 0.125  $\mu$ g per million cells in a 100  $\mu$ l total staining volume. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

## **Related Products**

Cat. 10-0081 Cat. 11-0081	APC-Cy7 Rat anti-mouse CD8 (alpha subunit; CD8a) (clone 53-6.7)
Cat. 12-0081	FITC Rat anti-mouse CD8 (alpha subunit; CD8a) (clone 53-6.7) PE Rat anti-mouse CD8 (alpha subunit; CD8a) (clone 53-6.7)
Cat. 13-0081 Cat. 14-0081	Biotin Rat anti-mouse CD8 (alpha subunit; CD8a) (clone 53-6.7)  Affinity Purified Rat anti-mouse CD8 (alpha subunit; CD8a) (clone 53-6.7)
Cat. 16-0081 Cat. 17-0081	Functional Grade Purified Rat anti-mouse CD8 (alpha subunit; CD8a) (clone 53-6.7)  APC Rat anti-mouse CD8 (alpha subunit; CD8a) (clone 53-6.7)
Cat. 19-0081	Cy5 Rat anti-mouse CD8 (alpha subunit; CD8a) (clone 53-6.7)
Cat. 25-0081 Cat. 15-4321	PE-Cy7 Rat anti-mouse CD8 (alpha subunit; CD8a) (clone 53-6.7) PE-Cy5 Rat IgG2a Isotype Control

#### References

Ledbetter, J. A. and L. A. Herzenberg (1979). "Xenogeneic monoclonal antibodies to mouse lymphoid differentiation antigens." Immunol Rev 47: 63-90.

Ledbetter, J. A., R. V. Rouse, et al. (1980). "T cell subsets defined by expression of Lyt-1,2,3 and Thy-1 antigens. Two-parameter immunofluorescence and cytotoxicity analysis with monoclonal antibodies modifies current views." J Exp Med 152(2): 280-95.

FOR NON-COMMERCIAL RESEARCH USE ONLY. NOT FOR THERAPEUTIC OR IN VIVO APLICATIONS. OTHER USE NEEDS LICENSE FROM AMERSHAM PHARMACIA BIOTECH INC. UNDER U.S. PATENT Nos. 4,981,977 AND 5,268,486 AND OTHER PATENTS PENDING.

THIS MATERIAL IS SUBJECT TO PROPRIETARY RIGHTS OF AMERSHAM PHARMACIA BIOTECH INC. AND CARNEGIE MELLON UNIVERSITY AND MADE AND SOLD UNDER LICENSE FROM AMERSHAM PHARMACIA BIOTECH INC. THIS PRODUCT IS LICENSED FOR SALE ONLY FOR RESEARCH. IT IS NOT LICENSED FOR ANY OTHER USE. THERE IS NO IMPLIED LICENSE HEREUNDER FOR ANY COMMERCIAL USE. COMMERCIAL USE shall include:

- 1. Sale, lease, license or other transfer of the material or any material derived or produced from it.
- 2. Sale, lease, license or other grant of rights to use this material or any other material derived or produced from it
- 3. Use of this material to perform services for a fee for third parties.

IF YOU REQUIRE A COMMERCIAL LICENSE TO USE THIS MATERIAL AND DO NOT HAVE ONE, RETURN THIS MATERIAL, UNOPENED TO eBioscience AND ANY MONEY PAID FOR THE MATERIAL WILL BE REFUNDED.

 $\label{localization} \text{Copyright} \ @ \ 2000\text{-}2005 \ \text{eBioscience, Inc.} \\ \text{Product For Research Use Only: Not for further distribution without written consent.} \\$