

FSH beta antibody [INN-hFSH-60]

Alternate names:	Immunoglobulin G Fc Fragment
Catalog No.:	15-288-20083F
Quantity:	0.1 mg
Concentration:	1 mg/ml
Background:	Follicle-stimulating hormone enables ovarian folliculogenesis to the antral follicle stage and is essential for Sertoli cell proliferation and maintenance of sperm quality in the testis. Members of the pituitary glycoprotein hormone family, of which FSH is one consist of a shared alpha chain and a beta chain encoded by a separate gene. The FSH beta gene encodes the beta subunit of follicle-stimulating hormone.
Host / Isotype:	Chicken
Immunogen:	Full length native protein (purified) (Human).
Format:	Purification: Protein A purified Buffer System: Preservative: 0.09% Sodium Azide; Constituents: PBS. pH 7.4
Applications:	ELISA, IHC-Fr, IHC-P Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Specificity:	Human - Not yet tested in other species
Storage:	Keep as concentrated solution. Store at 4

For research and in vitro use only. Not for diagnostic or therapeutic work.

Material Safety Datasheets are available at www.acris-antibodies.com or on request.

Antibody Hotline - Technical Questions - Antibody Location Service
Free Call: 0800-2274746 (Germany only) - www.acris-antibodies.com