

OriGene Technologies Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES

Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com AL00062PU-N

OriGene EU

Acris Antibodies GmbH

Schillerstr. 5 32052 Herford GERMANY

Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info@acris-antibodies.com

Liver Tumor Lysate

Catalog No.: AL00062PU-N

Quantity: 0.5 mg
Concentration: 2mg/ml
Format: State: Liquid

Purity: Duodenum tumor tissue lysate was prepared by homogenization in lysis buffer (50 mM Tris-HCl pH7.4, 150 mM NaCl, 1 mM PMSF, 1 mM EDTA, 5 ug/ml aprotinin, 5 ug/ml leupeptin, 1% Triton x-100, 1% DOC, 0.1% SDS). Tissue and cell debris was removed by centrifugation. The product was boiled for 5 min in 1 x SDS sample buffer (50 mM Tris-HCl pH 6.8, 12.5% glycerol, 1% sodium dodecylsulfate, 0.01% bromophenol blue) containing

5% beta-mercaptoethanol.

Applications: Western Blot - 10µg to 20µg per lane are recommended for mini gels.

Other applications not tested. Optimal dilutions are dependent on conditions and should

be determined by the user.

Description: Human liver tumor total protein lysate

Store at 2-8°C for continuous use or (in aliquots) at -70°C for longer.

Avoid repeated freezing and thawing. Shelf life: 6 month from despatch.

