



OriGene Technologies Inc.

9620 Medical Center Drive, Ste 200
Rockville, MD 20850
UNITED STATES
Phone: +1-888-267-4436
Fax: +1-301-340-8606
techsupport@origene.com

AL00184PU-N

OriGene EU

Acris Antibodies GmbH
Schillerstr. 5
32052 Herford
GERMANY
Phone: +49-5221-34606-0
Fax: +49-5221-34606-11
info@acris-antibodies.com

Adrenal Lysate

Catalog No.:	AL00184PU-N
Quantity:	0.1 mg
Concentration:	2.0 mg/ml
Format:	State: Liquid Buffer System: HEPES (pH7.9), MgCl ₂ , KCl, EDTA, Sucrose, Glycerol, Sodium deoxycholate, NP-40, and a cocktail of protease inhibitors.
Applications:	Western blot: 10 µg to 20 µg per lane is recommended for mini gel. Tissue Lysate Preparation: Human adrenal tissue lysate was prepared by homogenization using a proprietary technique. The tissue was frozen in liquid nitrogen immediately after excision and then stored at -70°C. For quality control purposes, the adrenal tissue pattern on SDS-PAGE gel is shown to be consistent for each lot by visualization with coomassie blue staining. The adrenal tissue is then Western analyzed by either GAPDH or beta-actin antibody, and the expression level is consistent with each lot. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Description:	Total Protein Normal Human Adrenal Tissue Lysate
Storage:	Store at 2-8°C for continuous use or (in aliquots) at -70°C for longer. Avoid repeated freezing and thawing. Shelf life: 6 month from despatch.
Caution:	This material has been tested by accepted techniques and has been found to be negative for HBsAg, HIV 1/2, and HCV. Additional patient information may be available upon request.