

## Monoclonal Antibody to T Cells / Neutrophils - Purified

<b>Alternate names:</b>	T Lymphocytes, T-Cells, T-lymphocytes
<b>Catalog No.:</b>	AM01233PU-N
<b>Quantity:</b>	0.25 mg
<b>Concentration:</b>	1.0mg/ml
<b>Host / Isotype:</b>	Mouse / IgG1
<b>Recommended Isotype Controls:</b>	AM03095PU-N
<b>Clone:</b>	RPN3/57
<b>Immunogen:</b>	Rabbit Peritoneal Neutrophils
<b>Format:</b>	<b>State:</b> Liquid purified IgG <b>Purification:</b> Affinity chromatography on Protein G <b>Buffer System:</b> Phosphate buffered saline pH7.4 containing 0.09% Sodium Azide
<b>Applications:</b>	Immunohistochemistry on frozen sections. Flow Cytometry. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
<b>Specificity:</b>	This antibody recognises a cell surface antigen which is expressed by a sub-set of T-cells, thymocytes, neutrophils and platelets. The antigen is not expressed on the RL-5 cell line and has not been fully characterised. <b>Species:</b> Rabbit. Other species not tested.
<b>Storage:</b>	Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing. Shelf life: one year from despatch.
<b>Caution:</b>	(A full Health and Safety assessment is available upon request) This product contains sodium azide : a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
<b>General Readings:</b>	1. Wilkinson JM, Galea-Lauri J, Sellars RA, Boniface C. Identification and tissue distribution of rabbit leucocyte antigens recognized by monoclonal antibodies. Immunology. 1992 Aug;76(4):625-30. PubMed PMID: 1398751.