

## Monoclonal Antibody to PAP - HRP

<b>Catalog No.:</b>	AM05651HR-N
<b>Quantity:</b>	1 mg
<b>Concentration:</b>	1,0 mg/ml
<b>Host / Isotype:</b>	Mouse / IgG1
<b>Clone:</b>	M6F
<b>Format:</b>	<b>State:</b> Liquid purified IgG <b>Buffer System:</b> 0.05M Phosphate pH7.5 containing 0.01% Thimerosal <b>Label:</b> HRP – Horseradish Peroxidase
<b>Applications:</b>	Immunohistochemistry on paraffin sections: 1/500 - 1/5000. Immunohistochemistry on frozen sections: 1/500 - 1/5000. Immunohistochemistry on resin sections: 1/500 - 1/5000. ELISA: 1/500 - 1/5000. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
<b>Specificity:</b>	This antibody reacts to PAPA complex. <b>Species:</b> Mouse. Other species not tested.
<b>Add. Information:</b>	Immunohistology: The reagent has wide application in the routine immunocytochemical detection of mouse monoclonal antibodies using both light and electron microscopy. Dilutions of 1/500 - 1/5000 have produced excellent results using a wide range of primary monoclonal antibodies. The optimal dilution should be determined for each primary monoclonal antibody and anti mouse - Ig bridging antibody used. The reagent may be used with bridging anti-mouse-Ig raised in any appropriate species, such as rabbit, sheep or goat.
<b>Storage:</b>	Store the antibody undiluted at 2-8°C. DO NOT FREEZE! Shelf life: one year from despatch.
<b>Caution:</b>	(A full Health and Safety assessment is available upon request) This product contains thimerosal: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.