

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com

OriGene Technologies GmbH

32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11

info-de@origene.com

Schillerstr. 5

AM10167BT-N Monoclonal Antibody to Fluorescein (FITC) - Biotin

Quantity: 0.2 ml

Host / Isotype: Mouse / IgM

Clone: 6A4

Immunogen: Fluorescein (FITC)

Format: State: Liquid purified lg fraction

Buffer System: PBS, pH 7.4 **Preservatives:** 0.02% Thiomersal **Stabilizers:** 1% BSA, 50% Glycerol

Label: Biotin

Applications: ELISA: 1/1000-1/10000.

Western Blot: 1/500-1/5000 **Southern Blot:** 1/500-1/5000.

In Situ hbridization.

Immunohistochemistry on Frozen Sections: 1/200-1/2000. Immunohistochemistry on Paraffin Sections: 1/200-1/2000.

Other applications not tested. Optimal dilutions are dependent on conditions and

should be determined by the user.

Specificity: Reacts with *free* and *bound* Fluorescein

Storage: Upon receipt, store undiluted (in aliquots) at -20°C.

Avoid repeated freezing and thawing. Shelf life: one year from despatch.