

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606

techsupport@origene.com

OriGene Technologies GmbH

Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34

Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

AM31714PU-N Monoclonal Antibody to ACTA2 / aortic smooth muscle Actin -

Purified

Alternate names: ACTSA, ACTVS, Alpha-actin-2, Cell growth-inhibiting gene 46 protein

Quantity: 50 μg

Concentration: 0.5 mg/ml

Background: Actin alpha 2, the human aortic smooth muscle actin gene, is one of six different actin

isoforms which have been identified. Actins are highly conserved proteins that are involved in cell motility, structure and integrity. Alpha actins are a major constituent

of the contractile apparatus.

Uniprot ID: P62736

NCBI: <u>NP_001135417</u>

GenelD: 59

Host / Isotype: Mouse / IgG1

Recommended Isotype

Controls:

SM10P (for use in human samples), AM03095PU-N

Clone: 1D11-2B9

Immunogen: ACTA2 (AAH17554, 1 a.a. ~ 378 a.a) full-length recombinant protein with GST tag.

AA Sequence:

 $\verb|MCEEEDSTALVCDNGSGLCKAGFAGDDAPRAVFPSIVGRPRHQGVMVGMGQKDSYVGDEAQSKRGILTLKYP|$

IEHGI

 ${\tt ITNWDDMEKIWHHSFYNELRVAPEEHPTLLTEAPLNPKANREKMTQIMFETFNVPAMYVAIQAVLSLYASGR}$

TTGIV

 $\verb|LDSGDGVTHNVPIYEGYALPHAIMRLDLAGRDLTDYLMKILTERGYSFVTTAEREIVRDIKEKLCYVALDFE|$

NEMAT

AASSSSLEKSYELPDGQVITIGNERFRCPETLFQPSFIGMESAGIHETTYNSIMKCDIDIRKDLYANNVLSG

GTTMY

PGIADRMOKEITALAPSTMKIKIIAPPERKYSVWIGGSILASLSTFQQMWISKQEYDEAGPSIVHRKCF

Remarks: MW of the GST tag alone is 26 KDa.

Format: State: Liquid purified Ig fraction

Purification: Protein A Chromatography

Buffer System: PBS, pH 7.2

Applications: ELISA.

Immunohistochemistry on Paraffin Sections: 5 µg/ml.

Western Blot: 1/500 - 1/1000.

Other applications not tested. Optimal dilutions are dependent on conditions and

should be determined by the user.

Specificity: Recognizes a ortic smooth muscle Actin / ACTA2.


Species Reactivity: Tested: Human.

Storage: Store the antibody (in aliquots) at -20°C or lower.


Avoid repeated freezing and thawing. Shelf life: one year from despatch.

Pictures: Human Vessels: Formalin-Fixed, Paraffin-


Embedded (FFPE)



Human Uterus: Formalin-Fixed, Paraffin-Embedded (FFPE)



Western Blot detection against Immunogen (67.58 KDa).





Detection limit for recombinant GST tagged ACTA2 is approximately 0.3ng/ml as a capture antibody.

