


AP05287SU-N**Polyclonal Antibody to ROBO1 - Purified**

Alternate names:	DUTT1, Deleted in U Twenty Twenty, ROBO-1, Roundabout homolog 1
Quantity:	0.1 mg
Concentration:	Lot specific
Background:	Receptor for SLIT1 and SLIT2 which are thought to act as molecular guidance cue in cellular migration, including axonal navigation at the ventral midline of the neural tube and projection of axons to different regions during neuronal development. In axon growth cones, the silencing of the attractive effect of NTN1 by SLIT2 may require the formation of a ROBO1-DCC complex. May be required for lung development. Defects in ROBO1 may be a cause of breast and lung cancer. ROBO1 maps within a region of overlapping homozygous deletions characterized in both small cell lung cancer cell lines (SCLC) and in a breast cancer cell line.
Uniprot ID:	Q9Y6N7
NCBI:	NP_002932.1
GeneID:	6091
Host:	Rabbit
Immunogen:	Synthetic peptide derived from human ROBO1 protein
Format:	State: Liquid purified Ig fraction Buffer System: Phosphate buffered saline with 0.08% sodium azide
Applications:	Western Blot (1-5 µg/ml). Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Specificity:	This antibody detects Roundabout homolog 1 / ROBO1, widely expressed, with exception of kidney. Species: Human. Other species not tested.
Storage:	Store the product (in aliquots) at -20 °C. Can be shipped at 2 - 8 °C. Avoid repeated freezing and thawing. Shelf life: One year from despatch.
General Readings:	1. Brose K, Bland KS, Wang KH, Arnott D, Henzel W, Goodman CS, et al. Slit proteins bind Robo receptors and have an evolutionarily conserved role in repulsive axon guidance. <i>Cell</i> . 1999 Mar 19;96(6):795-806. PubMed PMID: 10102268. 2. Dallol A, Forgacs E, Martinez A, Sekido Y, Walker R, Kishida T, et al. Tumour specific promoter region methylation of the human homologue of the Drosophila Roundabout gene DUTT1 (ROBO1) in human cancers. <i>Oncogene</i> . 2002 May 2;21(19):3020-8. PubMed PMID: 12082532.

Pictures:

Western blot using ROBO1 antibody (AP05287SU-N) on human brain lysate. Lysate used at 15 µg/lane. Antibody used at 10 µg/ml. Secondary antibody, mouse anti rabbit HRP, used at 1:50k.



Recommended Control Peptides: AP05287CP-N