

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com

OriGene Technologies GmbH

Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

AP05576PU-N Polyclonal Antibody to HA Epitope Tag (YPYDVPDYA) - Purified

Quantity: 0.1 mg
Concentration: 0.5 mg/ml

Background: Human influenza hemagglutinin (HA) is a surface glycoprotein required for the

infectivity of the human virus. The HA tag is derived from the HA molecule

corresponding to amino acids 98-106 has been extensively used as a general epitope tag in expression vectors. Many recombinant proteins have been engineered to express the HA tag, which does not appear to interfere with the bioactivity or the biodistribution of the recombinant protein. This tag facilitates the detection,

isolation, and purification of the proteins.

Host / Isotype: Rabbit / IgG

Immunogen: Keyhole limpet hemocyanin conjugated epitope tag peptide (114-122) from

haemagglutinin influenza. A cysteine residue was used to facilitate coupling at the C-

terminal end. **AA Sequence:**YPYDVPDYA

Format: State: Liquid purified lg fraction

Buffer System: 0.02M Potassium phosphate, 0.15M Sodium chloride pH7.2, 0.01%

Sodium Azide (NaN3)

Applications: Immunohistochmemistry on paraffin sections (Requires antigen retrieval using heat

treatment prior to staining of paraffin embedded sections. Citrate buffer is

recommended for this purpose).

ELISA.

Western blot.

Other applications not tested. Optimal dilutions are dependent on conditions and

should be determined by the user.

Specificity: This antibody is specific for the HA (Haemagglutinin) epitope tag peptide sequence

YPYDVPDYA, when fused to either the amino- or carboxyl- terminus of target proteins,

including expression in many frequently used expression vectors.

The antibody has been tested against both the immunogen and recombinant proteins containing the HA sequence in ELISA and Western blotting. In Western blotting of bacterial extracts this antibody has been shown not to cross-react with any

endogenous proteins.

Storage: Store the antibody undiluted at 2 - 8 °C up to one month or (in aliquots) at -20 °C for

longer. Avoid repeated freezing and thawing. Should this product contain a

precipitate we recommend microcentrifugation before use.

Shelf life: one year from despatch.

General Readings: 1. Field J, Nikawa J, Broek D, MacDonald B, Rodgers L, Wilson IA, et al. Purification of a

RAS-responsive adenylyl cyclase complex from Saccharomyces cerevisiae by use of an epitope addition method. Mol Cell Biol. 1988 May;8(5):2159-65. PubMed PMID:

2455217.



2. Wilson IA, Niman HL, Houghten RA, Cherenson AR, Connolly ML, Lerner RA. The structure of an antigenic determinant in a protein. Cell. 1984 Jul;37(3):767-78. PubMed PMID: 6204768.