

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606

techsupport@origene.com

OriGene Technologies GmbH

32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

Schillerstr. 5

AP08399PU-N Polyclonal Antibody to PAPD7 / POLS / TRF4 (447-462) - Aff -

Purified

Alternate names: DNA polymerase kappa, DNA polymerase sigma, LAK-1, PAP-associated domain-

containing protein 7, TRF-4, TUTase5, Terminal uridylyltransferase 5, Topoisomerase-

related function protein 4-1

Quantity:50 μgConcentration:0.5 mg/ml

Background: Catalytic subunit of a TRAMP-like complex which has a poly(A) RNA polymerase

activity and is involved in a post-transcriptional quality control mechanism.

Polyadenylation with short oligo(A) tails is required for the degradative activity of the exosome on several of its nuclear RNA substrates. Has no terminal uridylyltransferase activity, and does not play a role in replication-dependent histone mRNA degradation

via uridylation.

Uniprot ID: <u>Q5XG87</u>

NCBI: NP 001165276.1

GenelD: <u>11044</u>

Host / Isotype: Rabbit / IgG

Immunogen: Synthetic peptide containing amino acids 447-462 of human TRF4-1

AA Sequence:
GTASLKAVHHMSSPAI

Remarks: Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey (100%); Marmoset, Panda, Dog, Bat (88%); Hamster, Elephant, Rabbit, Horse,

Opossum, Platypus (81%)

Format: State: Liquid purified lg fraction

Purification: Protein G Chromatography

Buffer System: PBS containing 0.2% Gelatin as stabilizer and 0.05% Sodium Azide as

preservative

Applications: Immunohistochemistry on Paraffin Sections: 5 μg/ml.

Western Blot: 1 - 2 μg/ml.

Other applications not tested. Optimal dilutions are dependent on conditions and

should be determined by the user.

Specificity: This antibody recognizes Polymerase (DNA Directed) Sigma (POLS/TRF4-1) at aa

447-462.

Species Reactivity: Tested: Human.

Expected from sequence similarity: Gorilla, Gibbon, Monkey, Marmoset, Panda, Dog,

Bat, Hamster, Elephant, Rabbit, Horse, Opossum, Platypus.


Storage: Store the antibody undiluted at 2-8°C for one month (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing. Shelf life: one year from despatch.



Pictures:

Thyroid: Formalin-Fixed Paraffin-Embedded (FFPE)



Western Blot: Detection of TRF4-1 in HeLa cell lysate with anti-TRF4-1 antibody (AP08399PU-N).

