

## Polyclonal Antibody to Etodolac - Ig Fraction

<b>Alternate names:</b>	Edolan, Etodolac Acid, Etodolic Acid, Hypen, Lodine, Osteluc, Prestwick 209, Ramodar, Ultradol
<b>Catalog No.:</b>	AP09720PU-N
<b>Quantity:</b>	0.1 ml
<b>Concentration:</b>	8.82 mg/ml (U.V.abs @ 280nm)
<b>Background:</b>	Etodolac is a nonsteroidal anti-inflammatory agent with potent analgesic and antiarthritic properties. It is effective in the treatment of osteoarthritis, rheumatoid arthritis, ankylosing spondylitis, and in the alleviation of postoperative pain. Etodolac is the international non-proprietary name of 1,8-diethyl-1,3,4,9-tetrahydropyrano-[3,4-b]indole-1-acetic acid.
<b>Host / Isotype:</b>	Sheep / IgG
<b>Immunogen:</b>	Etodolac-BTG
<b>Format:</b>	<b>State:</b> Liquid Ig fraction prepared by Caprylic Acid and Ammonium Sulphate precipitation procedures. <b>Buffer System:</b> 20mM Phosphate, 150mM Sodium Chloride, pH 7.2 containing 0.09% Sodium Azide as preservative.
<b>Applications:</b>	<b>ELISA:</b> 2.5 µg/ml. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
<b>Specificity:</b>	This antibody recognizes Etodolac.
<b>Storage:</b>	Store the antibody (in aliquots) at -20°C. Avoid repeated freezing and thawing. Shelf life: one year from despatch.