

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com

OriGene Technologies GmbH

Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

AP09756PU-L Polyclonal Antibody to Methadone - Ig Fraction

Quantity:	1 ml
Concentration:	4.97 mg/ml U.V. abs @ 280nm)
Background:	Methadone is a rigorously well-tested medication that is safe and efficacious for the treatment of narcotic withdrawal and dependence. For more than 30 years this synthetic narcotic has been used to treat opioid addiction. Heroin releases an excess of dopamine in the body and causes users to need an opiate continuously occupying the opioid receptor in the brain. Methadone occupies this receptor and is the stabilizing factor that permits addicts on methadone to change their behavior and to discontinue heroin use.
Host / Isotype:	Sheep / IgG
Immunogen:	Methadone(p)-BSA
Format:	State: Liquid Ig fraction prepared by Caprylic Acid and Ammonium Sulphate precipitation procedures Buffer System: 20mM Phosphate, 150mM Sodium Chloride, pH 7.2 containing 0.09% Sodium Azide as preservative
Applications:	ELISA: 0.08 μg/ml Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Specificity:	Recognizes Methadone
Storage:	Store the antibody (in aliquots) at -20°C. Avoid repeated freezing and thawing. Shelf life: one year from despatch.

For research and in vitro use only. Not for diagnostic or therapeutic work. Material Safety Datasheets are available at www.acris-antibodies.com or on request.