

AP20097PU-N**Polyclonal Antibody to N-Acetylglucosaminidase beta - Purified**

| | |
|-------------------------|---|
| Alternate names: | NAG3, beta-Glucosidase |
| Quantity: | 1 mg |
| Concentration: | 2.0 mg/ml |
| Host / Isotype: | Rabbit / IgG |
| Immunogen: | Beta-N-Acetylglucosaminidase isolated and purified from Bovine kidney. |
| Format: | State: Lyophilized purified IgG fraction Purification: Solid Phase Affinity Chromatography Buffer System: PBS, pH 7.2 stabilized with Dextran without preservatives and foreign proteins. Reconstitution: Restore by adding 0.5 ml of sterile distilled water. |
| Applications: | This product is intended for use in precipitating and non-precipitating antibody-binding assays such as e.g., ELISA and Western blotting and Immunofluorescence or Histochemical techniques, to prepare an insoluble immuno-affinity adsorbent, for labelling with a marker of choice. Working Dilutions: Non-precipitating antibody-binding techniques: 1/1,000-1/30,000. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. |
| Specificity: | The reagents were evaluated for potency, purity and specificity using most or all of the following techniques: Immunoelectrophoresis, Cross-Immunoelectrophoresis, single Radial Immunodiffusion (Ouchterlony), block titration, ELISA, Immunoblotting and Enzyme Inhibition. Cross-reactivities against enzymes of other sources may occur but have not been determined. Species: Bovine. Other species not tested. |
| Storage: | Store the antibody lyophilized at 2-8°C and reconstituted at 2-8°C for one week or (in aliquots) at -20°C for longer. If a slight precipitation occurs upon storage, this should be removed by centrifugation. Shelf life: one year from despatch. |