

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606

techsupport@origene.com

OriGene Technologies GmbH

Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

## AP21210PU-N Polyclonal Antibody to Amyloglucosidase - Purified

Alternate names: 1, 4-alpha-D-glucan glucohydrolase, 4-alpha-glucosidase, GLAA, Glucan 1,

Glucoamylase

Quantity: 1 mg

 Concentration:
 2.0 mg/ml

 Uniprot ID:
 P69328

 NCBI:
 5061

Host / Isotype: Rabbit / IgG

Immunogen: Amyloglucosidase isolated and purified from Aspergillus niger.

Freund's complete adjuvant is used in the first step of the immunization procedure.

Format: State: Lyophilized purified hyperimmune IgG fraction

**Purification:** Solid Phase Affinity Chromatography

Buffer System: PBS, pH 7.2 stabilized with Dextran without preservatives and foreign

proteins

**Reconstitution:** Restore by adding 0.5 ml of sterile distilled water

**Applications:** This product is intended for use in precipitating and non-precipitating antibody-

binding assays (such as e.g., ELISA and Western blotting and Immunofluorescence or Histochemical techniques), to prepare an insoluble immuno-affinity adsorbent, for

labelling with a marker of choice.

**Working Dilutions:** 

Non-precipitating antibody-binding techniques: > 1/60,000.

Other applications not tested. Optimal dilutions are dependent on conditions and

should be determined by the user.

Specificity: The antibody recognizes Amyloglucosidase from Aspergillus niger.

The reagents were evaluated for potency, purity and specificity using most or all of the following techniques: Immunoelectrophoresis, Cross-Immunoelectrophoresis, Single Radial Immunodiffusion (Ouchterlony), block titration, ELISA, Immunoblotting and

enzyme inhibition.

Cross-reactivities against enzymes of other sources may occur but have not been

determined.

**Species:** Aspergillus niger. Other species not tested.

**Storage:** Store the antibody lyophilized at 2-8°C and reconstituted at 2-8°C for one week or (in

aliquots) at -20°C for longer.

If a slight precipitation occurs upon storage, this should be removed by

centrifugation.

Shelf life: one year from despatch.