

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com

OriGene Technologies GmbH

32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

Schillerstr. 5

AP21243PU-N Polyclonal Antibody to Clostripain - Aff - Purified

Alternate names: Clostridiopeptidase B, cloSI

Quantity: 1 mg

 Concentration:
 2.0 mg/ml

 Uniprot ID:
 P09870

 NCBI:
 1498

Host / Isotype: Rabbit / IgG

Immunogen: Clostipain is isolated and purified from Clostridium histolyticum.

Freund's complete adjuvant is used in the first step of the immunization procedure.

Format: State: Lyophilized purified hyperimmune IgG fraction

Purification: Solid Phase Affinity Chromatography

Buffer System: PBS, pH 7.2 stabilized with Dextran, without preservatives and foreign

proteins

Reconstitution: Restore by adding 0.5 ml of sterile distilled water

Applications: This product is intended for use in precipitating and non-precipitating antibody-

binding assays (such as e.g., ELISA and Western blotting and Immunofluorescence or Histochemical techniques), to prepare an insoluble immuno-affinity adsorbent, for

labelling with a marker of the customer's own choice.

Working dilutions in non-precipitating antibody-binding techniques:

1/1,000-1/50,000.

Other applications not tested. Optimal dilutions are dependent on conditions and

should be determined by the user.

Specificity: The antibody recognizes Clostripain from Clostridium histolyticum.

The reagents were evaluated for potency, purity and specificity using most or all of the following techniques: Immunoelectrophoresis, Cross-Immunoelectrophoresis, single Radial Immunodiffusion (Ouchterlony), block titration, ELISA, Immunoblotting and

Enzyme Inhibition.

Cross-reactivities against enzymes of other sources may occur but have not been

determined.

Species: Clostridium histolyticum.

Other species not tested.

Storage: Store the antibody lyophilized at 2-8°C and reconstituted at 2-8°C for one week or (in

aliquots) at -20°C for longer.

If a slight precipitation occurs upon storage, this should be removed by

centrifugation.

Shelf life: one year from despatch.