

AP21328AF-N**Polyclonal Antibody to Lactate oxidase - Azide Free**

Alternate names:	Lactate 2-monooxygenase
Quantity:	10 mg
Concentration:	10 mg/ml
Uniprot ID:	P21795
NCBI:	1772
Host / Isotype:	Rabbit / IgG
Immunogen:	Lactate oxidase isolated and purified from <i>Mycobacterium smegmatis</i> . Freund's complete adjuvant is used in the first step of the immunization procedure.
Format:	State: Lyophilized hyperimmune IgG fraction Purification: Ammonium Sulphate Precipitation and Ion Exchange Chromatography Buffer System: PBS, pH 7.2 without preservatives and foreign proteins Reconstitution: Restore by adding 1.0 ml sterile distilled water
Applications:	This product is intended for use in precipitating and non-precipitating antibody-binding assays (such as e.g., ELISA and Western blotting and Immunofluorescence or Histochemical techniques), to prepare an insoluble immuno-affinity adsorbent; for labelling with a marker of the customer's own choice. Working Dilutions: Non-precipitating antibody-binding techniques: 1/1,000-1/30,000. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Specificity:	Lactate Oxidase from <i>Mycobacterium smegmatis</i> . The reagents were evaluated for potency, purity and specificity using most or all of the following techniques: Immunoelectrophoresis, Cross-Immunoelectrophoresis, Single Radial Immunodiffusion (Ouchterlony), block titration, ELISA, Immunoblotting and enzyme inhibition. Cross-reactivities against enzymes of other sources may occur but have not been determined. Species: <i>Mycobacterium smegmatis</i> . Other species not tested.
Storage:	Store the antibody lyophilized at 2-8°C and reconstituted at 2-8°C for one week or (in aliquots) at -20°C for longer. If a slight precipitation occurs upon storage, this should be removed by centrifugation. Shelf life: one year from despatch.