

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606

techsupport@origene.com

## OriGene Technologies GmbH

32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

Schillerstr. 5

## AP21336AF-N Polyclonal Antibody to LDH1 M4 Isozyme - Azide Free

Alternate names: L-Lactic dehydrogenase LDH-1 Isozyme M4

Quantity: 10 mg

Concentration: 10.0 mg/ml Host / Isotype: Rabbit / IgG

Immunogen: L-Lactic Dehydrogenase LDH-1(M4) isoenzyme, is isolated and purified from Porcine

heart.

Freund's complete adjuvant is used in the first step of the immunization procedure.

Format: State: Lyophilized hyperimmune IgG fraction

Purification: Ammonium Sulphate Precipitation and Ion Exchange Chromatography

**Buffer System:** PBS, pH 7.2 without preservatives and foreign proteins **Reconstitution:** Restore by adding 1.0 ml of sterile distilled water

Applications: This product is intended for use in precipitating and non-precipitating antibody-

binding assays (such as e.g., ELISA and Western blotting and Immunofluorescence or Histochemical techniques), to prepare an insoluble immuno-affinity adsorbent, for

labelling with a marker of choice.

**Working Dilutions:** 

Non-precipitating antibody-binding techniques: 1/1,000-1/7,000.

Other applications not tested. Optimal dilutions are dependent on conditions and

should be determined by the user.

Specificity: L-Lactic Dehydrogenase LDH-1(M4) isoenzyme from Porcine heart.

The reagents were evaluated for potency, purity and specificity using most or all of the following techniques: Immunoelectrophoresis, Cross-Immunoelectrophoresis, Single Radial Immunodiffusion (Ouchterlony), block titration, ELISA, Immunoblotting and

enzyme inhibition.

Cross-reactivities against enzymes of other sources may occur but have not been

determined. **Species:** Pig.

Other species not tested.

Storage: Store the antibody lyophilized at 2-8°C and reconstituted at 2-8°C for one week or (in

aliquots) at -20°C for longer.

If a slight precipitation occurs upon storage, this should be removed by

centrifugation.

Shelf life: one year from despatch.