

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606

techsupport@origene.com

OriGene Technologies GmbH

32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

Schillerstr. 5

AP26041PU-N Polyclonal Antibody to Cdc25B pSer149 - Aff - Purified

Quantity: 0.1 mg
Concentration: 1.0 mg/ml

Background: Cdc25B is a member of the CDC25 family of phosphatases. CDC25B activates the

cyclin dependent kinase CDC2 by removing two phosphate groups and it is required for entry into mitosis. CDC25B shuttles between the nucleus and the cytoplasm due to nuclear localization and nuclear export signals. The protein is nuclear in the M and G1 phases of the cell cycle and moves to the cytoplasm during S and G2. CDC25B has oncogenic properties, although its role in tumor formation has not been determined.

Multiple transcript variants for this gene exist.

Uniprot ID: <u>Q9DBN8</u>

NCBI: NP 001104545

GenelD: 12531
Host: Rabbit

Immunogen: Peptide sequence around phosphorylation site of Serine 149 derived from Mouse

Cdc25B.

AA Sequence: F-R-S(p)-L-P

Format: State: Liquid Ig fraction

Purification: Affinity-chromatography using epitope-specific peptide

Buffer System: Phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM

NaCl, 0.02% sodium azide and 50% glycerol

Applications: Western blot: 1:500 - 1:1000.

Other applications not tested. Optimal dilutions are dependent on conditions and

should be determined by the user.

Specificity: This antibody detects endogenous level of Cdc25B protein only when phosphorylated

at serine 149.

Species Reactivity: Tested: Mouse, rat
Add. Information: Molecular weight: 62

Storage: Store (in aliquots) at -20 °C. Avoid repeated freezing and thawing.

Shelf life: one year from despatch.

General Readings: 1. Li G, et al. (2010) Retrovirology.7:59.

2. Wang Z,et al. (2010) BMC Cancer.10:233.

3. Lucci MA, et al. (2010) Cell Oncol.32(5-6):361-72.



Pictures:

Western blot analysis of extracts from 3T3 cells untreated (lane 1) or treated with Hydroxyurea (lane 2) using Cdc25B (Phospho-Ser149) Antibody AP26041PU-N

