

**AP42492PU-N****Polyclonal Antibody to ZNF92 - Aff - Purified**

<b>Alternate names:</b>	HTF12, Zinc finger protein 92, Zinc finger protein HTF12
<b>Quantity:</b>	0.1 mg
<b>Concentration:</b>	1.0 mg/ml after reconstitution
<b>Background:</b>	ZNF92, belonging to the krueppel C2H2-type zinc-finger protein family, is expressed early during embryonic development and may be involved in transcriptional regulation.
<b>Uniprot ID:</b>	<a href="#">Q03936</a>
<b>NCBI:</b>	<a href="#">NP_009070</a>
<b>GeneID:</b>	<a href="#">168374</a>
<b>Host:</b>	Rabbit
<b>Immunogen:</b>	A synthetic peptide directed towards the C-terminal region of human ZNF92 (isoform 2, Q03936-2) <b>AA Sequence:</b> KPYKYEECDKAFNKFSTLITHQIIYTGKPKCKHECGRAFNKSSNYTKEKL
<b>Format:</b>	<b>State:</b> Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose. <b>Purification:</b> Purified using Protein A affinity column
<b>Applications:</b>	Western blotting (1 - 3 µg/ml) Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
<b>Molecular Weight:</b>	60 kDa (517 aa)
<b>Species Reactivity:</b>	<b>Tested:</b> Human, Mouse
<b>Storage:</b>	Store undiluted at 2-8°C for one month or (in aliquots) at -20°C to -80°C for longer. Avoid repeated freezing and thawing. Shelf life: one year from despatch.
<b>General Readings:</b>	Bellefroid, E.J., et al., (1993) EMBO J. 12 (4), 1363-1374.

**Pictures:**

WB Suggested Anti-ZNF92 Antibody  
Titration: 2.5 ug/ml; ELISA Titer: 1:62500;  
Positive Control: Jurkat cell lysate

