

## OriGene Technologies Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850

Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com

**UNITED STATES** 

AP50570PU-N
OriGene EU

## Acris Antibodies GmbH

Schillerstr. 5 32052 Herford GERMANY

Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info@acris-antibodies.com

## Polyclonal Antibody to C20orf134 (Center) - Aff - Purified

Alternate names: Putative uncharacterized actin family protein

Catalog No.: AP50570PU-N

Quantity: 0.1 mg
Concentration: 0.25 mg/ml
Uniprot ID: Q5|WF8

NCBI: NP 001019846

GeneID: 170487
Host / Isotype: Rabbit / Ig

Immunogen: KLH conjugated synthetic peptide between 81-110 amino acids from the Central region of

human C20orf134

**Format:** State: Liquid purified Ig fraction

Purification: Affinity chromatography on Protein A

**Buffer System:** PBS containing 0.09% (W/V) sodium azide as preservative

**Applications:** ELISA: 1/1000.

**Western blotting:** 1/100 - 1/500.

Immunohistochemistry on paraffin sections: 1/10 - 1/50.

Other applications not tested. Optimal dilutions are dependent on conditions and should

be determined by the user.

**Specificity:** This antibody reacts to C20orf134.

Species Reactivity: Tested: Human.


Add. Information: Molecular Weight: 26751 Da

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing. Shelf life: one year from despatch.

General Readings: Deloukas, P., et al. Nature 414(6866):865-871(2001)








**Pictures:** 

SERTAD4 Antibody (C-term) (Cat. #AP50570PU-N)immunohistochemistry analysis in formalin fixed and paraffin embedded human prostate carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of SERTAD4 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



C20orf134 Antibody (Center) (Cat. #AP50570PU-N) western blot analysis in NCI-H292 cell line lysates (35µg/lane). This demonstrates the C20orf134 antibody detected the C20orf134 protein (arrow).

