

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com

OriGene Technologies GmbH

Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

AP50677PU-N Polyclonal Antibody to C9JLR9 (C-term) - Aff - Purified

| Alternate names: | C11orf95, Uncharacterized protein C11orf95 |
|---------------------|---|
| Quantity: | 0.4 ml |
| Concentration: | lot specific |
| Uniprot ID: | <u>C9ILR9</u> |
| NCBI: | <u>NP_001138408</u> |
| GenelD: | <u>65998</u> |
| Host / Isotype: | Rabbit / Ig |
| Immunogen: | KLH conjugated synthetic peptide between 563-592 amino acids from the C-terminal region of human C9JLR9 |
| Format: | State: Liquid purified Ig fraction Purification: Affinity chromatography on Protein A Buffer System: PBS containing 0.09% (W/V) sodium azide as preservative |
| Applications: | ELISA: 1/1000. Western blotting: 1/100 - 1/500. Immunohistochemistry on paraffin sections: 1/50 - 1/100. Immunofluorescence: 1/10 - 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. |
| Specificity: | This antibody reacts to C9JLR9. |
| Species Reactivity: | Tested: Human. |
| Add. Information: | Molecular Weight: 73197 Da |
| Storage: | Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing. Shelf life: one year from despatch. |
| General Readings: | Ota, T., et al. Nat. Genet. 36(1):40-45(2004) |


For research and in vitro use only. Not for diagnostic or therapeutic work. Material Safety Datasheets are available at www.acris-antibodies.com or on request.


AP50677PU-N: Polyclonal Antibody to C9JLR9 (C-term) - Aff - Purified

Pictures:


C9JLR9 Antibody (C-term) (Cat. #AP50677PU-N)immunohistochemistry analysis in formalin fixed and paraffin embedded human adipose tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of C9JLR9 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Confocal immunofluorescent analysis of C9JLR9 Antibody (Cterm) (Cat#AP50677PU-N) with HepG2 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit lgG (green). Actin filaments have been labeled with Alexa Fluor555 phalloidin (red). DAPI was used to stain the cell nuclear (blue).





C9JLR9 Antibody (C-term) (Cat. #AP50677PU-N) western blot analysis in HepG2 cell line lysates (35µg/lane).This demonstrates the C9JLR9 antibody detected the C9JLR9 protein (arrow).



For research and in vitro use only. Not for diagnostic or therapeutic work. Material Safety Datasheets are available at www.acris-antibodies.com or on request.