

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com

## **OriGene Technologies GmbH**

Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

## AP51667PU-N Polyclonal Antibody to FHAD1 (C-term) - Aff - Purified

Alternate names:	Forkhead-associated domain-containing protein 1, KIAA1937
Quantity:	0.4 ml
Concentration:	lot specific
Uniprot ID:	B1AJZ9
NCBI:	<u>NP_443161</u>
GenelD:	<u>114827</u>
Host / Isotype:	Rabbit / Ig
Immunogen:	Synthetic peptide - KLH conjugated - corresponding to the C-terminal region (between 1152-1181aa) of human FHAD1.
Format:	<b>State:</b> Liquid purified Ig fraction <b>Purification:</b> Purified through a protein A column; followed by peptide affinity purification. <b>Buffer System:</b> PBS with 0.09% (W/V) Sodium Azide.
Applications:	This antibody is suitable for immunohistochemistry on paraffin sections and Western blotting. The suggested dilution is: Immunohistochemistry on paraffin sections: 1/10-1/50. Western blotting: 1/100-1/500. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Specificity:	This antibody detects human FHAD1 at C-term.
Add. Information:	Molecular Weight: 161904 Da
Storage:	Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing. Shelf life: one year from despatch.
General Readings:	Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010)


For research and in vitro use only. Not for diagnostic or therapeutic work. Material Safety Datasheets are available at www.acris-antibodies.com or on request.


## **ORIGENE** AP51667PU-N: Polyclonal Antibody to FHAD1 (C-term) - Aff - Purified

## **Pictures:**

Immunohistochemistry analysis in human skin tissue (formalin-fixed, paraffin-embedded) using FHAD1 antibody Cat.-No. AP51667PU-N (C-term), followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of FHAD1 antibody for immunohistochemistry. Clinical relevance has not been evaluated.

Western blot analysis in T47D cell line lysates (35ug/lane) using FHAD1 antibody Cat.-No. AP51667PU-N (C-term). This demonstrates the FHAD1 antibody detected the FHAD1 protein (arrow).





For research and in vitro use only. Not for diagnostic or therapeutic work. Material Safety Datasheets are available at www.acris-antibodies.com or on request.