


AP53132PU-N**Polyclonal Antibody to OTUD3 (Center) - Aff - Purified**

Alternate names:	KIAA0459, OTU domain-containing protein 3
Quantity:	0.4 ml
Concentration:	0.5 mg/ml (Lot specific)
Uniprot ID:	Q5T2D3
NCBI:	NP_056022
GeneID:	23252
Host / Isotype:	Rabbit / Ig
Immunogen:	KLH conjugated synthetic peptide between 192-220 amino acids from the Central region of human OTUD3.
Format:	State: Liquid purified Ig fraction Purification: Protein A column, followed by peptide affinity purification Buffer System: PBS containing 0.09% (W/V) Sodium Azide as preservative
Applications:	Peptide ELISA: 1/1000. Western Blot: 1/1000. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Specificity:	This antibody recognizes Human OTUD3 (Center).
Add. Information:	Molecular Weight: 45124 Da
Storage:	Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing. Shelf life: one year from despatch.
General Readings:	McGovern, D.P., et al. Nat. Genet. 42(4):332-337(2010) Franke, A., et al. Nat. Genet. 42(4):292-294(2010) Barrett, J.C., et al. Nat. Genet. 41(12):1330-1334(2009) Silverberg, M.S., et al. Nat. Genet. 41(2):216-220(2009) Venter, J.C., et al. Science 291(5507):1304-1351(2001)

Pictures:

Western blot analysis of OTUD3 Antibody (Center) Cat.-No AP53132PU-N in U251 cell line lysates (35ug/lane). This demonstrates the OTUD3 antibody detected the OTUD3 protein (arrow



All lanes : Anti-OTUD3 Antibody (Center) at 1:2000 dilution Lane 1: LNCaP whole cell lysate Lane 2: RD whole cell lysate Lane 3: 293 whole cell lysate Lane 4: U-251 MG whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 45 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

