

## OriGene Technologies Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-858-888-7900 Fax: +1-858-888-7904 <u>US-info@acris-antibodies.com</u>

## AR10471PU-N OriGene EU

Acris Antibodies GmbH Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info@acris-antibodies.com

## **Sheep Leptin Triple Antagonist - Purified**

Catalog No.:	AR10471PU-N
Quantity:	0.1 mg
Concentration:	0.65 mg/ml (prior to lyophil.)
Species:	Sheep
Source:	E. coli
Format:	<ul> <li>State: White lyophilized (freeze-dried) powder</li> <li>Purity: &gt;98.0% as determined by both Gel filtration and SDS-PAGE analysis.</li> <li>Purification Method: Proprietary chromatographic techniques.</li> <li>Buffer System: Lyophilized from a concentrated (0.65 mg/ml) solution with 0.003mM NaHCO<sub>3</sub></li> <li>Reconstitution: Restore in sterile water or sterile 0.4% NaHCO3adjusted to pH 8, not less than 100 μg/ml, which can then be further diluted to other aqueous solutions.</li> </ul>
Description:	Recombinant Ovine Leptin Antagonist Triple Mutant is a single non-glycosilated polypeptide chain containing 146 amino and additional Ala at N-terminus acids and having a Molecular Mass of ~ 16 kDa, Leptin was mutated, resulting in L39A/D40A/F41A mutant. <b>Protein content:</b> Protein quantitation was carried out by UV spectroscopy at 280 nm using the absorbency value of 0.21 as the extinction coefficient for a 0.1% (1mg/ml) solution at pH 8.0. This value is calculated by the PC GENE computer analysis program of protein sequences (IntelliGenetics). <b>AA Sequence:</b>
	The sequence of the first five N-terminal amino acids was determined and was found to be <i>Ala-Val-Pro-Ile-Arg</i> . <b>Biological Activity:</b> Recombinant Ovine Leptin-Antagonist Triple Mutant is capable of inhibiting leptin-induced proliferation of BAF/3 cells stably transfected with the long form of mouse leptin receptor. It also inhibits various leptin effects in several <i>in vitro</i> bioassays.
Storage:	Prior to reconstitution store at 2-8°C for one month or desiccated below -18°C. Following reconstitution (at 0.1 mg/ml and up to 2mM and Filter sterilization) store undiluted at 2-8°C At lower concentration addition of a carrier protein (0.1% HSA or BSA) is suggested. Avoid repeated freezing and thawing. Shelf life: one year from despatch.

For research and in vitro use only. Not for diagnostic or therapeutic work. Material Safety Datasheets are available at www.acris-antibodies.com or on request.



MS/20120911

Acris Antibodies is now part of the OriGene family. Learn more at www.origene.com