

OriGene Technologies Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES

Phone: +1-858-888-7900 Fax: +1-858-888-7904 US-info@acris-antibodies.com

AR10522PU-S

OriGene EU

Acris Antibodies GmbH

Schillerstr. 5 32052 Herford GERMANY

Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info@acris-antibodies.com

Epstein Barr Virus p18 (1-119) - Purified

Catalog No.: AR10522PU-S

Quantity: 0.1 mg

Background: The Epstein-Barr virus (EBV), also called Human herpes virus 4 (HHV-4), is a virusof the

herpes family(which includes Herpes simplex virus and Cytomegalovirus. On infecting the Blymphocyte, the linear virus genome circularizes and the virus subsequently persists within

the cell as an episome. The virus can execute several distinct programs of gene

expressionwhich can be broadly categorized as being lytic cycle or latent cycle. The lytic cycleor productive infection results in staged expression of a host of viral proteins with the ultimate objective of producing infectious virions. Formally, this phase of infection does not inevitably lead to lysis of the host cellas EBV virions are produced by budding from the

infected cell. The latent cycle(lysogenic) programs are those that do not result in production of virions. A very limited, distinct set of viral proteins are produced during latent cycle infection. These include Epstein-Barr nuclear antigen(EBNA)-1, EBNA-2, EBNA-3A, EBNA-3B, EBNA-3C, EBNA-leader protein (EBNA-LP) and latent membrane proteins(LMP)-1, LMP-2A and LMP-2B and the Epstein-Barr encoded RNAs(EBERS).

Source: E. coli

Format: Purity: >95% pure as determined by 10% PAGE (coomassie staining).

Purification Method: EBV-p18 was purified by proprietary chromatographic technique.

Buffer System: 25mM Tris-HCl, 1.5M urea and 50% Glycerol

Applications: EBV-p18 antigen is suitable for ELISA and Western blots, excellent antigen for detection of

HHV-4 (EBV) with minimal specificity problems.

Other applications not tested. Optimal dilutions are dependent on conditions and should

be determined by the user.

Description: The *E.coli* derived recombinant mosaic protein contains the HHV-4 p18 regions, 1-119 amino

acids. GST-tagged.

Specificity: Immunoreactive with sera of EBV-infected individuals.

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing. Shelf life: one year from despatch.

