

OriGene Technologies Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES

Phone: +1-858-888-7900 Fax: +1-858-888-7904 US-info@acris-antibodies.com

AR10577TC-N OriGene EU

Acris Antibodies GmbH

Schillerstr. 5 32052 Herford GERMANY

Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info@acris-antibodies.com

Hepatitis C Virus NS4 a+b (1658-1863) - Rhodamine

Catalog No.: AR10577TC-N

Quantity: 0.5 mg

Background: HCV is a small 50nm, enveloped, single-stranded, positive sense RNAvirus in the family

Flaviviridae.

HCV has a high rate of replication with approximately one trillion particles produced each day in an infected individual. Due to lack of proofreading by the HCV RNA polymerase, the HCV has an exceptionally high mutation rate, a factor that may help it elude the host's immune response. Hepatitis C virus is classified into six genotypes(1-6) with several subtypes within each genotype. The preponderance and distribution of HCV genotypes varies globally. Genotype is clinically important in determining potential response to interferon-based therapy and the required duration of such therapy. Genotypes 1 and 4 are less responsive to interferon-based treatment than are the other genotypes (2, 3, 5 and 6).

Source: E. coli

Format: Purity: >95% pure as determined by 10% PAGE (coomassie staining).

Purification Method: Purified by proprietary chromatographic technique.

Buffer System: 20mM Tris-Hcl pH 8, 8M Urea and 10mM B-ME

Applications: HCV NS4 a+b antigen is suitable for in ELISA and Western blots, excellent antigen for

detection of HCV with minimal specificity problems.

Other applications not tested. Optimal dilutions are dependent on conditions and should

be determined by the user.

Description: The *E.coli* derived 19 kDa recombinant protein Rhodamine labeled contains the HCV NS4

immunodominant regions, amino acids 1658-1863.

The protein is fused with beta-Galactosidase (114 kDa) at N-terminus. **Specificity:** Immunoreactive with sera of HCV-infected individuals.

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing. Shelf life: one year from despatch.

