

OriGene Technologies Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES

Phone: +1-858-888-7900 Fax: +1-858-888-7904 US-info@acris-antibodies.com AR10611PU-L

OriGene EU

Acris Antibodies GmbH

Schillerstr. 5 32052 Herford GERMANY

Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info@acris-antibodies.com

Hepatitis C Virus NS5 Genotype 6 - Purified

Catalog No.: AR10611PU-L

Quantity: 1 mg

Concentration: 1.0 mg/ml

Background: HCV is a small 50nm, enveloped, single-stranded, positive sense RNAvirus in the family

Flaviviridae.

HCV has a high rate of replication with approximately one trillion particles produced each day in an infected individual. Due to lack of proofreading by the HCV RNA polymerase, the HCV has an exceptionally high mutation rate, a factor that may help it elude the host's immune response. Hepatitis C virus is classified into six genotypes(1-6) with several subtypes within each genotype. The preponderance and distribution of HCV genotypes varies globally. Genotype is clinically important in determining potential response to interferon-based therapy and the required duration of such therapy. Genotypes 1 and 4 are less responsive to interferon-based treatment than are the other genotypes (2, 3, 5 and 6).

Source: E. coli

Format: Purity: >95.0% pure as determined by 10.0% PAGE (coomassie staining).

Purification Method: Sepharose-Derived Purification.

Buffer System: 25mM Tris-HCl, 1mM EDTA, 1.5M Urea, 50% Glycerol

Applications: Antigen in ELISA and Western blots, excellent antigen for detection of HCV with minimal

specificity problems.

Other applications not tested. Optimal dilutions are dependent on conditions and should

be determined by the user.

Description: The E.coli derived recombinant protein contains the HCV NS5 Genotype 6 immunodominant

regions.

Specificity: Immunoreactive with sera of HCV- infected individuals.

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing. Shelf life: one year from despatch.

