

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com

## OriGene Technologies GmbH

32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

Schillerstr. 5

## AR51469PU-N Human CD153 / CD30L (His-tag) - Purified

Alternate names: CD30 Ligand, CD30-L, CD30LG, TNFSF8, Tumor necrosis factor ligand superfamily

member 8

Quantity: 0.5 mg

**Concentration:** 0.5 mg/ml (determined by Bradford assay)

Background: TNFSF8 is a cytokine that belongs to the tumor necrosis factor (TNF) ligand family. This

cytokine is a ligand for TNFRSF8/CD30, which is a cell surface antigen and a marker for Hodgkin lymphoma and related hematologic malignancies. The engagement of this cytokine expressed on B cell surface plays an inhibitory role in modulating Ig class switch. TNFSF8 was shown to enhance cell proliferation of some lymphoma cell lines, while to induce cell death and reduce cell proliferation of other lymphoma cell lines. The pleiotropic biologic activities of this cytokine on different CD30+ lymphoma cell lines may play a pathophysiologic role in Hodgkin's and some non-Hodgkin's

lymphomas.

Uniprot ID: P32971

NCBI: NP 001235

GenelD: 944

Species: Human Source: E. coli

Format: State: Liquid purified protein

Purity: >80% by SDS - PAGE

Buffer System: 20 mM Tris-HCl buffer (pH 8.0) containing 10% glycerol, 0.4M Urea

**Description:** Recombinant human TNFSF8 protein, fused to His-tag at N-terminus, was expressed in

E.coli.

AA Sequence:

MGSSHHHHHH SSGLVPRGSH MGSQRTDSIP NSPDNVPLKG GNCSEDLLCI LKRAPFKKSW AYLQVAKHLN KTKLSWNKDG ILHGVRYQDG NLVIQFPGLY FIICQLQFLV QCPNNSVDLK LELLINKHIK KQALVTVCES GMQTKHVYQN LSQFLLDYLQ VNTTISVNVD TFQYIDTSTF

PLENVLSIFL YSNSD

Molecular weight: 22.0 kDa (195aa)

Storage: Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer.


Avoid repeated freezing and thawing. Shelf life: one year from despatch.

General Readings: Smith C.A., et al (1993). Armitage R.J. Cell 73:1349-1360 Croager E.J., et al (1997).

Biochim. Biophys. Acta 1353:231-235



**Pictures:** 



15% SDS-PAGE (3ug)