

OriGene Technologies Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES

Phone: +1-858-888-7900 Fax: +1-858-888-7904 <u>US-info@acris-antibodies.com</u>

OriGene EU

BP129

Acris Antibodies GmbH

Schillerstr. 5 32052 Herford GERMANY

Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info@acris-antibodies.com

Polyclonal Antibody to Enkephalin (Leu)

Catalog No.: BP129
Quantity: 50 μl

Concentration: conc. lot specific

Host: Rabbit

Immunogen: Leu5-Enkephalin conjugated to BSA (see Morley et al).

Applications: Immunohistochemistry: PAP staining: 1/500. Other applications not tested. Optimal

dilutions of this antibody are dependent on conditions and should be determined by the

user.

Tissue Staining: Hypothalamus and median eminence of frog, chicken and rat.

Fixation: Perfuse with Bouin-Hollande + 10 % of a saturated solution of sublimate. Postfix

for 48 hours with the same fixative.

Other applications not tested. Optimal dilutions are dependent on conditions and should

be determined by the user.

Specificity: Specific for the pentapeptide sequences of

Enkephalins. N or C terminally extended peptides do not cross-react (e.g. Dynorphins, Endorphins, etc. - See Morley et al for a full list). Oxidized Met-Enkephalin does not cross-

react.

Staining Pattern: Positive staining of neurons and fibers in the three species tested.

Storage: Store the antibody at -20°C. Avoid repeated freezing and thawing. Shelf life: one year from

despatch.

General Readings: Morley et al, Neuropeptides (1984), 4, 447-482

Duve and Thorpe (1988)

Cell an