

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com

## OriGene Technologies GmbH

Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

## DM3604P Monoclonal Antibody to TWSG1 / Tsg - Purified

Alternate names: Twisted gastrulation protein homolog 1

Quantity: 0.1 mg

**Background:** Twisted gastrulation (TSG) is a secreted, cysteine-rich protein that plays a role in

dorsal/ventral patterning in Drosophila and Xenopus by regulating BMP signaling. TSG was originally identified in Drosophila melanogaster and shown to be required for the differentiation of the dorsal amnioserosa cells. Studies of expression and function of Twisted Gastrulation have been performed in Drosophila and Xenopus. Xenopus TSG is expressed in the ventral regions of the embryo during gastrulation, mimicking the BMP-4 expression pattern. TSG is expressed in dorsal cells of the blastoderm embryo, where there are also high levels of activity of Dpp and Screw. Vertebrate TSGs were subsequently cloned in mouse, human, zebrafish and frog. TSG acts as an agonist for BMP signaling by modulating the inhibitory actions of the BMP antagonist, Chordin/Sog, and the cleavage properties of the metalloprotease, xolloid/tolloid. The N-terminal domain of TSG can bind BMP protein directly in vitro and shows BMP

antagonist activity.

Uniprot ID: Q9EP52

NCBI: NP 075540.1

GenelD: <u>65960</u>

Host / Isotype: Rat / IgG2 Clone: 7D19

Immunogen: Purified Mouse Recombinant TSG

Format: State: Lophilized purified (0.2 µm filtered) IgG fraction from Culture Supernatant

**Purification:** Protein A/G Affinity Chromatography

Buffer System: PBS Stabilizers: None

Reconstitution: Restore with 200µl sterile PBS and the final concentration is

 $500\mu l/ml$ .

Applications: Western Blot: 1/500-1/1000.

Immunohistochemistry on Frozen Sections: 1/50-1/200.

Other applications not tested. Optimal dilutions are dependent on conditions and

should be determined by the user.

**Specificity:** This antibody detects Mouse TSG. Other species not tested.

**Storage:** Prior to reconstitution store at -70°C.

Following reconstitution store the antibody (in aliquots) at -20°C for 6 month.

Avoid repeated freezing and thawing. Shelf life: one year from despatch.