

Bcl2 antibody

Catalog No.:	DP3005
Quantity:	0.5 mg
Concentration:	1 mg/ml
Background:	Expression of Bcl-2 alpha oncoprotein inhibits the programmed cell death (apoptosis). In most follicular lymphomas, plastic germinal centers express high levels of Bcl-2 alpha protein, whereas the normal or hyperplastic germinal centers are negative.
Host / Isotype:	Rabbit
Immunogen:	Synthetic peptide: GAAPAPGIFSSQPG-C, corresponding to amino acids 41-54 of Human Bcl2.
Format:	State: Liquid Purification: Protein A purified Buffer System: 10mM PBS, pH7.4, 0.2%BSA, 0.09% sodium azide
Applications:	IF, IP Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Specificity:	Cross-reacts with Human. Does not cross-react with Rat or Mouse. Not yet tested in other species.
Storage:	Keep as concentrated solution, aliquot and store at 4

For research and in vitro use only. Not for diagnostic or therapeutic work.

Material Safety Datasheets are available at www.acris-antibodies.com or on request.

Antibody Hotline - Technical Questions - Antibody Location Service
Free Call: 0800-2274746 (Germany only) - www.acris-antibodies.com