

## OriGene Technologies Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-858-888-7900 Fax: +1-858-888-7904 <u>US-info@acris-antibodies.com</u>

## PA1119X OriGene EU

Acris Antibodies GmbH Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info@acris-antibodies.com

## Mouse Leptin Triple Antagonist - Purified

Catalog No.:	PA1119X
Quantity:	0.1 mg
<b>Concentration:</b>	0.65 mg/ml
Species:	Mouse
Source:	E. coli, Escherichia coli
Format:	<ul> <li>State: Lyophilized purified protein</li> <li>Purity: &gt;99% Greater than 99.0% as determined by:</li> <li>(a) Gel filtration analysis.</li> <li>(b) Analysis by SDS-PAGE.</li> <li>Buffer System: 0.003mM NaHCO3</li> <li>Reconstitution: Restore in sterile water or sterile 0.4% NaHCO3 adjusted to pH 8-9, not less than 100µg/ml, which can then be further diluted with other aqueous solutions.</li> </ul>
Description:	Leptin Antagonist Triple Mutant Mouse Recombinant is a single non-glycosilated polypeptide chain containing 146 amino and additional Ala at N-terminus acids, LEP was mutated, resulting in L39A/D40A/F41A mutant. Leptin Antagonist Triple Mutant Mouse Recombinant was purified by proprietary chromatographic techniques. <b>AA Sequence:</b> The sequence of the first five N-terminal amino acids was determined and was found to be Ala-Val-Pro-Ile-Gln <b>Biological Activity:</b> Leptin Antagonist Triple Mutant Mouse Recombinant is capable of inhibiting Leptin-induced proliferation of BAF/3 cells stably transfected with the long form of human Leptin receptor. It also inhibits various Leptin effects in several in vitro bioassays. <b>Molecular weight:</b> 16 kDa ~ 16 kDa
Add. Information:	Protein quantization was carried out by UV spectroscopy at 280 nm using the absorbency value of 0.21 as the extinction coefficient for a 0.1% (1mg/ml) solution at pH 8.0. This value is calculated by the PC GENE computer analysis program of protein sequences (IntelliGenetics).
Storage:	Prior to reconstitution stable at RT for several weeks. Following reconstitution store (at > 0.1 Leptin mutant mg/ml and up to 2 mM and filter sterilization) the protein undiluted at 2-8°C for one week or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing. At lower concentration addition of a carrier protein (0.1% HSA or BSA) is suggested. Shelf life: one year from despatch.

For research and in vitro use only. Not for diagnostic or therapeutic work. Material Safety Datasheets are available at www.acris-antibodies.com or on request.



OG/20121030

Acris Antibodies is now part of the OriGene family. Learn more at www.origene.com