

OriGene Technologies Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES

Phone: +1-858-888-7900 Fax: +1-858-888-7904 US-info@acris-antibodies.com

PA1188 OriGene EU

Acris Antibodies GmbH

Schillerstr. 5 32052 Herford GERMANY

Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info@acris-antibodies.com

Human Goserelin - Purified

Catalog No.: PA1188

Quantity: 5 mg

Concentration: 1.0 mg/ml

Background: Goserelin is a synthetic decapeptide analogue of luteinising hormone-releasing hormone

(LHRH).

On administration, initially, goserelin causes an increase in the amount of FSH and LH

released from the pituitary gland. However, chronic administration of goserelin

desensitises the pituitary gland. Eventually, after a period of about 14-21 days, production of LH is greatly reduced due to receptor downregulation, and sex hormones levels are reduced. This reduction in the levels of sex hormone can be exploited to treat disorders that are linked to levels of oestrogen or testosterone; such as prostate cancer, oestrogen dependant breast cancer, endometriosis and other benign gynaecological disorders.

Species: Human
Source: Synthetic

Format: State: Lyophilized purified protein (sterile filtered)

Purity: >98% Greater than 98.0% as determined by:

(a) Analysis by RP-HPLC.(b) Analysis by SDS-PAGE.

Reconstitution: Restore in sterile 18Mohm-cm H2O not less than 100µg/ml, which can then

be further diluted to other aqueous solutions.

Description: Goserelin is a hormone similar to the one normally released from the hypothalamus gland

in the brain (GnRH super-agonist). It is used to treat for prostate and breast cancer.

Goserelin decreases the amount of estrogen and testosterone by this treating

endometriosis and cancer of the breast, and can help thin the uterus lining before surgery. Goserelin prevents the growth of tissue associated with endometriosis. Reducing the

amount of testosterone is one way of treating prostate cancer.

AA Sequence:

Goserelin contains 10 amino acids Glu1-His2-Trp3-Ser4-Tyr5-D-

Ser(tBu)6-Leu7-Arg8-Pro9-AzGly10-NH2

Molecular weight: 1269.43 Dalton

Storage: Prior to reconstitution stable at RT for 3 weeks.

Following reconstitution store the protein undiluted at 2-8°C for one week

or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.

For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).

Shelf life: one year from despatch.

