

## OriGene Technologies Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-858-888-7900 Fax: +1-858-888-7904 <u>US-info@acris-antibodies.com</u>

## R1156HRP OriGene EU

Acris Antibodies GmbH Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info@acris-antibodies.com

## Polyclonal Antibody to Pyranose Oxidase - HRP

Catalog No.:	R1156HRP
Quantity:	20 mg
Concentration:	10.0 mg/ml (by UV absorbance at 280 nm)
Host:	Goat
Immunogen:	Pyranose Oxidase [E.coli].
Format:	<ul> <li>State: Lyophilized purified Ig fraction.</li> <li>Purification: Multistep process.</li> <li>Buffer System: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 with 10 mg/ml Bovine Serum Albumin (BSA, IgG and Protease free as stabilizer and 0.01% (w/v) Gentamicin Sulfate as preservative.</li> <li>Label: HRP – Horseradish Peroxidase</li> <li>Reconstitution: Restore with 2.0 ml of deionized water (or equivalent).</li> </ul>
Applications:	Suitable for Immunoblotting (Western or Dot blot), ELISA, Immunoperoxidase electron microscopy and Immunohistochemistry as well as other peroxidase-antibody based enzymatic assays. <u>Recommended Dilutions</u> : This product has been assayed against 1.0 ug of Pyranose Oxidase [E.coli] in a standard capture ELISA using ABTS (2,2'-azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:20,000 to 1:100,000 of the reconstitution concentration is suggested for this product. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Specificity:	This product is an IgG fraction antibody purified from monospecific antiserum by a multistep process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum as well as purified and partially purified Pyranose Oxidase [E.coli]. Cross reactivity against Pyranose Oxidase from other sources is unknown.
Storage:	Store vial at 2-8°C prior to restoration. For extended storage add glycerol to 50% and then aliquot contents and freeze at -20°C or below. Centrifuge product if not completely clear after standing at room temperature. This antibody is stable for one month at 2-8°C as an undiluted liquid. Dilute only prior to immediate use. Avoid repeated freezing and thawing. Shelf life: One year from despatch.
Caution:	Do <u>Not</u> Use Sodium Azide as Preservative.
General Readings:	Farr & Nakane, J. Immunol. Methods 47; 129-144. 1981. (Conjugation)

For research and in vitro use only. Not for diagnostic or therapeutic work. Material Safety Datasheets are available at www.acris-antibodies.com or on request.

Acris Antibodies is now part of the OriGene family. Learn more at www.origene.com



OG/20121030

1/1