

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com

OriGene Technologies GmbH

Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com

R1313AP Polyclonal Antibody to Ferret IgG gamma (gamma chain specific)

-AP-

Alternate names: Ferret Immunoglobulin G

Quantity: 1 mg

Concentration: 1.0 mg/ml (by UV absorbance at 280 nm)

Host: Goat

Immunogen: Ferret IgG γ (gamma chain).

Format: State: Liquid (sterile filtered) purified Ig fraction.

Purification: Immunoaffinity chromatography.

Buffer System: 0.05M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol; pH 8.0 with 10 mg/ml Bovine Serum Albumin (BSA, IgG and Protease free) as stabilizer and 0.01% (w/v) sodium

azide as preservative.

Label: AP – Alkaline Phosphatase (Calf Intestine) (Molecular Weight 140,000 daltons)

Applications: Suitable for Immunoblotting (Western or Dot blot), ELISA and Immunohistochemistry

as well as other phosphatase-antibody based enzymatic assays requiring lot-to-lot

consistency.

Recommended Dilutions: This product has been assayed against 1.0 µg of Ferret IgG in a standard capture ELISA using pNPP (p-nitrophenyl phosphate) as a substrate for 30 minutes at room temperature. A working dilution of 1:1,500 to 1:6,000 is suggested

for this product.

Other applications not tested. Optimal dilutions are dependent on conditions and

should be determined by the user.

Specificity: This product was prepared from monospecific antiserum by immunoaffinity

chromatography using antigens coupled to agarose beads followed by solid phase

adsorption(s) to remove any unwanted reactivities.

Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Alkaline Phosphatase (calf intestine), anti-Goat Serum, Ferret IgG and Ferret Serum.

No reaction was observed against Ferret IgA or Ferret IgM.

Specificity was confirmed by ELISA at less than 1% cross reactivity against other

monkey heavy or light chain isotypes.

Storage: Store the antibody undiluted at 2-8°C.

DO NOT FREEZE!

Freezing alkaline phosphatase conjugates will result in a substantial loss of

enzymatic activity.

Dilute only prior to immediate use. Shelf life: one year from despatch.

General Readings: Modified from Avarameas and Ternyrock, Immunochemistry 32; 1175 1971.

(Conjugation)