



Met Enkephalin

Data Sheet

Catalog Number:	RA21006	Host:	Rabbit
Product Type:	Affinity Purified Antibody	Species Reactivity:	Rat
Immunogen Sequence:	Synthetic Met ⁵ -Enkephalin (H-Tyr-Gly-Gly-Phe-Met-OH) conjugated through N-terminal tyrosine to BSA.	Format:	Liquid -PBS with 0.1% Sodium Azide. Concentration of 1 mg/ml.
Applications:	For immunofluorescence cytochemistry 1:1000 For indirect avidin-biotin immunocytochemistry 1:1000 - 1:5000.		
Storage:	*Dilutions listed as a recommendation. Optimal dilution should be determined by investigator. Store frozen. Aliquot as undiluted antisera and immediately place at -20°C. Antisera may have become trapped in top of vial during shipping. Centrifugation of vial is recommended before opening. Stable for at least 6 months at -20°C. Repeated freeze/thaw cycles compromise the integrity of the antiserum.		

Application Notes

Sensitivity

10% inhibition of binding (determined by RIA) is 100 - 200 pg.
IC₅₀ 1-3ng.

Cross-reactivity (%)

Met ⁵ -Enkephalin	100
Leu ⁵ -Enkephalin	5.8
beta-Endorphin	0.01
beta-Lipotropin	0.01

Immunofluorescence Protocol:

Anesthetize animals and perfuse them transcardially as follows:

- flush with cold (4°C) oxygenated Calcium free Tyrodes;
- perfuse with 4% formaldehyde in 0.16 M phosphate buffer at pH 6.9.
- perfuse with 10 % sucrose solution in 0.1 M phosphate buffer (pH 7.2).

Sections: Cut 5-30 µm tissue sections by using a cryostat and mount them on subbed histological slides.

- Dilute Met⁵-Enkephalin antiserum with 0.1M phosphate buffered saline (PBS, pH 7.4) containing 1% bovine serum albumin and 0.01 Triton X-100.
- Incubate sections overnight at +4°C and then wash in PBS (three times for 10 minutes).
- Incubate for 1 hour at room temperature with donkey anti-rabbit secondary antibodies conjugated to fluorescent probes such as fluorescein isothiocyanate (FITC), Rhodamine Red X; cyanine 3.18 (Cy3) or cyanine 5.18 (Cy5) (for reference see a catalogue of Jackson ImmunoResearch Laboratories, Inc., West Grove, PA).
- Wash in PBS (three times for 10 minutes) and mount them using Neuromics iBrite Plus anti-fade mounting medium (cat#: SF40000). Staining can be visualized by using both conventional and confocal microscopy.

FOR RESEARCH USE ONLY –V1-02/09

NEUROMICS REAGENTS ARE FOR IN VITRO AND CERTAIN NON-HUMAN IN VIVO EXPERIMENTAL USE ONLY AND NOT INTENDED FOR USE IN ANY HUMAN CLINICAL INVESTIGATION, DIAGNOSIS, PROGNOSIS, OR TREATMENT. THE ABOVE ANALYSES ARE MERELY TYPICAL GUIDES. THEY ARE NOT TO BE CONSTRUED AS BEING SPECIFICATIONS. ALL OF THE ABOVE INFORMATION IS, TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE. HOWEVER, SINCE THE CONDITIONS OF USE ARE BEYOND OUR CONTROL, ALL RECOMMENDATIONS OR SUGGESTIONS ARE MADE WITHOUT GUARANTEE, EXPRESS OR IMPLIED, ON OUR PART. WE DISCLAIM ALL LIABILITY IN CONNECTION WITH THE USE OF THE INFORMATION CONTAINED HEREIN OR OTHERWISE, AND ALL SUCH RISKS ARE ASSUMED BY THE USER. WE FURTHER EXPRESSLY DISCLAIM ALL WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

www.neuromics.com

Neuromics • 5325 West 74th Street, Suite 8 • Edina, MN 55439
phone 866-350-1500 • fax 612-677-3976 • e-mail pshuster@neuromics1.com

References

1. Stengaard-Pedersen K, Larsson LI. (1981) Histochemistry, 73(1):89-114.
2. Williams RG, Dockray GJ. (1983) Neuroscience, 9(3):563-586.
3. Palkovits M. (1984) Progress in Neurobiology, 23:151-189.
4. Kalivas PW. (1985) Neuroscience & Biobehavioral Reviews, 9(4):573-587.
5. Wang BL, Larsson LI. (1985) Histochemistry, 83(1):47-56.
6. Moore MR, Black PM. (1991) Neurosurgical Review, 14(2):97-110.

FOR RESEARCH USE ONLY –V1-02/09

NEUROMICS REAGENTS ARE FOR IN VITRO AND CERTAIN NON-HUMAN IN VIVO EXPERIMENTAL USE ONLY AND NOT INTENDED FOR USE IN ANY HUMAN CLINICAL INVESTIGATION, DIAGNOSIS, PROGNOSIS, OR TREATMENT. THE ABOVE ANALYSES ARE MERELY TYPICAL GUIDES. THEY ARE NOT TO BE CONSTRUED AS BEING SPECIFICATIONS. ALL OF THE ABOVE INFORMATION IS, TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE. HOWEVER, SINCE THE CONDITIONS OF USE ARE BEYOND OUR CONTROL, ALL RECOMMENDATIONS OR SUGGESTIONS ARE MADE WITHOUT GUARANTEE, EXPRESS OR IMPLIED, ON OUR PART. WE DISCLAIM ALL LIABILITY IN CONNECTION WITH THE USE OF THE INFORMATION CONTAINED HEREIN OR OTHERWISE, AND ALL SUCH RISKS ARE ASSUMED BY THE USER. WE FURTHER EXPRESSLY DISCLAIM ALL WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

www.neuromics.com

Neuromics • 5325 West 74th Street, Suite 8 • Edina, MN 55439
phone 866-350-1500 • fax 612-677-3976 • e-mail pshuster@neuromics1.com