

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850 UNITED STATES Phone: +1-888-267-4436 Fax: +1-301-340-8606 techsupport@origene.com

## **OriGene Technologies GmbH**

Schillerstr. 5 32052 Herford GERMANY Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info-de@origene.com


## SA6008 Human Alpha-Synuclein / SNCA (1-60) - Purified

| Alternate names:  | NACP, Non-A beta component of AD amyloid, Non-A4 component of amyloid<br>precursor, PARK1   |
|-------------------|---|
| Quantity:         | 0.1 mg  |
| Concentration:    | 1.0 mg/ml   |
| Background:       | Alpha Synuclein is implicated in the regulation of dopamine release and transport. It<br>is a soluble protein, expressed principally in the brain but also expressed in low<br>concentrations in all tissues examined (except liver). In the nervous system, alpha<br>Synuclein is primarily located at presynaptic terminals and is found membrane bound<br>in dopaminergic neurons. It can form filamentous aggregates that are the major non<br>amyloid component of intracellular inclusions in several neurodegenerative diseases<br>(synucleinopathies), including Parkinson's Disease. Alpha Synuclein induces<br>fibrillization of microtubule associated protein tau and reduces neuronal<br>responsiveness to various apoptotic stimuli, leading to a decreased caspase 3<br>activation. Alpha synuclein is a protein phosphorylated predominantly on serine<br>residues. |
| Uniprot ID:       | <u>P37840</u>   |
| NCBI:             | <u>NP_000336.1</u>  |
| GenelD:           | <u>6622</u>   |
| Species:          | Human   |
| Source:           | E. coli   |
| Format:           | <b>State:</b> Liquid protein<br><b>Purity:</b> >95% by SDS-PAGE<br><b>Buffer System:</b> 20 mM Tris-HCl buffer (pH 7.5) containing 0.1 M NaCl   |
| Description:      | A deletion mutant of alpha-synuclein (amino acids 1-60), which contains the N-<br>terminal amphipathic domain. DSyn1-60 was overexpressed in E. coli and the<br>recombinant protein was purified to apparent homogeneity by using conventional<br>column chromatography techniques.<br>AA Sequence:<br>MDVFMKGLSK AKEGVVAAAE KTKQGVAEAA GKTKEGVLYV GSKTKEGVVH GVATVAEKTK<br>Molecular weight: 6.149 kDa (60 amino acids)  |
| Storage:          | Store at 2 - 8 °C for up to one month or (in aliquots) at -20 °C. Avoid repeated freezing   |
|                   | and thawing.<br>Shelf life: one year from despatch.   |
| General Readings: | 1. Ueda et al., (1993) Proc. Natl. Acad. Sci. 90, 11282-11286.<br>2. Jakes et al., (1994) FEBS Letters 345, 27-32.  |


For research and in vitro use only. Not for diagnostic or therapeutic work. Material Safety Datasheets are available at www.acris-antibodies.com or on request.



**Pictures:** 



15% SDS-PAGE (3ug)



For research and in vitro use only. Not for diagnostic or therapeutic work. Material Safety Datasheets are available at www.acris-antibodies.com or on request.