



FluoGreen Tracer

Protocol

Catalog Number: SF41000

Applications: This tracer can stain any animal cells including neurons, glia, lymphocytes and

more.

Store Frozen and Thaw Before Using.

Protocol

- Calculate the volume of the working solution;
- 2. Dilute FluoGreen Tracer stock solution with PBS (1:100)
- 3. Add diluted FluoGreen Tracer solution to cells or tissue sections and incubate from 1 to 5 min at room temperature;
- Rinse cells or tissue section with PBS;
- 5. Mount using iBright Plus mounting media.

ı	Name	Catalog #	Type	Species	Applications	Size	Price
i-BR	ITE Plus	SF40000-1	Kit	Not Applicable	All Fluorescent Images	1 ml	\$29
i-BR	ITE Plus	SF40000-5	Kit	Not Applicable	All Fluorescent Images	5 ml	\$99
i-BR	ITE Plus	SF40000-10	Kit	Not Applicable	All Fluorescent Images	10 ml	\$149

FOR RESEARCH USE ONLY

NEUROMICS' REAGENTS ARE FOR IN VITRO AND CERTAIN NON-HUMAN IN VIVO EXPERIMENTAL USE ONLY AND NOT INTENDED FOR USE IN ANY HUMAN CLINICAL INVESTIGATION, DIAGNOSIS, PROGNOSIS, OR TREATMENT. THE ABOVE ANALYSES ARE MERELY TYPICAL GUIDES. THEY ARE NOT TO BE CONSTRUED AS BEING SPECIFICATIONS. ALL OF THE ABOVE INFORMATION IS, TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE. HOWEVER, SINCE THE CONDITIONS OF USE ARE BEYOND OUR CONTROL, ALL ROWMENDATIONS OR SUGGESTIONS ARE MADE WITHOUT GUARANTEE, EXPRESS OR IMPLIED, ON OUR PART. WE DISCLAIM ALL LIABILITY IN CONNECTION WITH THE USE OF THE INFORMATION CONTAINED HEREIN OR OTHERWISE, AND ALL SUCH RSKS ARE ASSUMED BY THE USER. WE FURTHER EXPRESSLY DISCLAIM ALL WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

02/08v1